




THOMSON BROS


TRADING

Valve and fitting importers

quality • service • innovation

CATALOGUE 2026/27





INDEX



Brass Valves	4
Brass Fittings	8
Copper Capillary Fittings	10
Geka Type Fittings	10
Cast Iron Valves	12
Multi Range Fittings	12
SS Valves & Fittings	14



Galvanised Fittings	18
Flanges	22
Black Fittings	24
JIS Fittings	28
Grooved Fittings	32



HDPE Compression Fittings	34
Compression Ball Valves	36



uPVC Valves	38
Filter Air Valves	38
Quality Filtration	40
uPVC Solvent Weld Fittings	42
Polyprop Tank Fittings	46
Polyprop Threaded Fittings	50
Polyprop Insert Fittings	52
Mineral Water Pots	62



Worm Drive Clamps	54
Bolted Clamps	54
SSN Couplings	54
Camlocks	56
Hose Rubber Traps	60



Thread Master Machinery	64
-------------------------	----



PERFECT SEAL

as threads conform to BSPT-21 (ISO-7) standards

PEACE OF MIND

ensured by visible branding on each product

PROVEN DURABILITY

through robust construction

VENICEVALVE.COM



**PROVEN
DURABILITY**

**PEACE OF
MIND**

**PERFECT
SEAL**



VENICEVALVE.COM

BALL VALVE FULL BORE

Max working pressure 25 Bar (360 psi)



ITEM CODE	BSP	METRIC mm
501/0008	¼"	8
501/0010	⅜"	10
501/0015	½"	15
501/0020	¾"	20
501/0025	1"	25
501/0032	1¼"	32
501/0040	1½"	40
501/0050	2"	50
501/0065	2½"	65
501/0080	3"	80
501/0100	4"	100

BALL VALVE WITH IRON BALL

Max working pressure 10 Bar (145 psi)



ITEM CODE	BSP	METRIC mm
552/0008	¼"	8
552/0010	⅜"	10
552/0015	½"	15
552/0020	¾"	20
552/0025	1"	25
552/0032	1¼"	32
552/0040	1½"	40
552/0050	2"	50

BALL VALVE Mx F

Max working pressure 25 Bar (360 psi)



ITEM CODE	BSP	METRIC mm
551/0015	½"	15
551/0020	¾"	20
551/0025	1"	25
551/0040	1½"	40
551/0050	2"	50

BALL VALVE ECONO

Max working pressure 20 Bar (290 psi)



ITEM CODE	BSP	METRIC mm
505/0015	½"	15
505/0020	¾"	20
505/0025	1"	25
505/0032	1¼"	32
505/0040	1½"	40
505/0050	2"	50

BALL VALVE NYLON LEVER HANDLE

Max working pressure 16 Bar (230 psi)



ITEM CODE	BSP	METRIC mm
518/0015	½"	15
518/0020	¾"	20
518/0025	1"	25
518/0032	1¼"	32
518/0040	1½"	40
518/0050	2"	50

SS BRAIDED CONNECTOR Fx F

Max working pressure 16 Bar (230 psi)



ITEM CODE	METRIC mm
555/0015X0350	15 x 350
555/0015X0450	15 x 450

BALL VALVE Cx C

Max working pressure 16 Bar (230 psi)



ITEM CODE	METRIC mm
509/0015	15
509/0022	22

GATE VALVE FULL BORE

Max working pressure 12.5 Bar (180 psi)



ITEM CODE	BSP	METRIC mm
502/0015	½"	15
502/0020	¾"	20
502/0025	1"	25
502/0032	1¼"	32
502/0040	1½"	40
502/0050	2"	50
502/0065	2½"	65
502/0080	3"	80
502/0100	4"	100

GATE VALVE ECONO

Max working pressure 10 Bar (145 psi)



ITEM CODE	BSP	METRIC mm
522/0015	½"	15
522/0020	¾"	20
522/0025	1"	25
522/0032	1¼"	32
522/0040	1½"	40
522/0050	2"	50

GATE VALVE Cx C

Max working pressure 12.5 Bar (180 psi)



ITEM CODE	METRIC mm
503/0015	15
503/0022	22

STOP COCK Cx C

Max working pressure 12.5 Bar (180 psi)



ITEM CODE	METRIC mm
554/0015	15
554/0022	22

STOP COCK

Max working pressure 12.5 Bar (180 psi)



ITEM CODE	BSP	METRIC mm
550/0015	½"	15
550/0020	¾"	20

MINI BALL VALVE Mx F

Max working pressure 8 Bar (116 psi)



ITEM CODE	BSP	METRIC mm
506/0015	½"	15

MINI BALL VALVE Cx C HANDLE

Max working pressure 8 Bar (116 psi)



ITEM CODE	METRIC mm
557/0015	15

MINI BALL VALVE Cx C SCREWDRIVER

Max working pressure 8 Bar (116 psi)



ITEM CODE	METRIC mm
556/0015	15

BALL VALVE NYLON T-HANDLE

Max working pressure 16 Bar (230 psi)



ITEM CODE	BSP	METRIC mm
519/0015	½"	15
519/0020	¾"	20
519/0025	1"	25

PRESSURE REDUCING VALVE WITH GAUGE

Max working pressure 16 Bar (230 psi)



ITEM CODE	BSP	METRIC mm
510/0015	½"	15
510/0020	¾"	20
510/0025	1"	25
510/0032	1¼"	32
510/0040	1½"	40
510/0050	2"	50

BIB TAP

Max working pressure 12 Bar (174 psi)



ITEM CODE	BSP	METRIC mm
516/0015	½"	15
516/0015x0020	½" x ¾"	15 x 20
516/0020	¾"	20
516/HPx0015	½"	15
516/HPx0020	¾"	20

BIBCOCK LOCKUP

Max working pressure 12 Bar (174 psi) Nickel Plated



ITEM CODE	BSP	METRIC mm
529/0015	½"	15
529/0020	¾"	20

TANK LOCKUP TAP

Max working pressure 12.5 Bar (180 psi)



ITEM CODE	BSP	METRIC mm
507/0015	½"	15
507/0020	¾"	20

TANK LOCKUP TAP (ZINC)

Max working pressure 12.5 Bar (180 psi)



ITEM CODE	BSP	METRIC mm
594/0020	¾"	20

NYLON BIBCOCK LEVER HANDLE

Max working pressure 16 Bar (230 psi)



ITEM CODE	METRIC mm
520/0015x0020	15 x 20
520/0020	20

BIBCOCK

Max working pressure 12 Bar (174 psi) Nickel Plated



ITEM CODE	BSP	METRIC mm
508/0015	½"	15
508/0020	¾"	20

ANGLE VALVE (CP)

Max working pressure 10 Bar (145 psi)



ITEM CODE	BSP	METRIC mm
553/0015x0015	½" x ½"	15 x 15
553/0015x0020	½" x ¾"	15 x 20

BRASS WASHING MACHINE VALVE CxCxMI



ITEM CODE	METRIC mm
592/0015x0020	15 x 20

BRASS BASIN WASTE (CP) SLOTTED



ITEM CODE	BSP	METRIC mm
580/0032	1¼"	32

BRASS BATH WASTE (CP)



ITEM CODE	BSP	METRIC mm
581/0040	1½"	40

Y STRAINER - S/S SCREEN

Max working pressure 16 Bar (230 psi)



ITEM CODE	BSP	METRIC mm
515/0015	½"	15
515/0020	¾"	20
515/0025	1"	25
515/0040	1½"	40
515/0050	2"	50

FOOT VALVE HEAVY DUTY

Max working pressure 12.5 Bar (180 psi)



ITEM CODE	BSP	METRIC mm
511/0032	1¼"	32
511/0040	1½"	40
511/0050	2"	50
511/0065	2½"	65
511/0080	3"	80
511/0100	4"	100

NYLON CHECK VALVE

Max working pressure 16 Bar (230 psi)



ITEM CODE	BSP	METRIC mm
583/0015	½"	15
583/0020	¾"	20
583/0025	1"	25
583/0040	1½"	40

SPRING LOADED CHECK VALVE

Max working pressure 16 Bar (230 psi)



ITEM CODE	BSP	METRIC mm
514/0015	½"	15
514/0020	¾"	20
514/0025	1"	25
514/0032	1¼"	32
514/0040	1½"	40
514/0050	2"	50
514/0065	2½"	65
514/0080	3"	80
514/0100	4"	100

SWING CHECK VALVE

Max working pressure 12.5 Bar (180 psi)



ITEM CODE	BSP	METRIC mm
504/0015	½"	15
504/0020	¾"	20
504/0025	1"	25
504/0032	1¼"	32
504/0040	1½"	40
504/0050	2"	50
504/0065	2½"	65
504/0080	3"	80
504/0100	4"	100

STAINLESS STEEL SCREEN



ITEM CODE	BSP	METRIC mm
514A/0015	½"	15
514A/0020	¾"	20
514A/0025	1"	25
514A/0032	1¼"	32
514A/0040	1½"	40
514A/0050	2"	50
514A/0065	2½"	65
514A/0080	3"	80
514A/0100	4"	100

BRASS ECONO SPRING CHECK VALVE

Max working pressure 12 Bar (230 psi)



ITEM CODE	BSP	METRIC mm
582/0015	½"	15
582/0020	¾"	20
582/0025	1"	25
582/0032	1¼"	32
582/0040	1½"	40
582/0050	2"	50

BALL FLOAT VALVE L/P

Max working pressure 6 Bar (87psi)



ITEM CODE	BSP	METRIC mm
512/0015	½"	15
512/0020	¾"	20
512/0025	1"	25
512/0040	1½"	40
512/0050	2"	50

PVC BALL FLOAT



ITEM CODE	METRIC mm
513A/4500	110
513A/5000	125
513A/6000	150
513A/8000	200
513A/10000	250

GAUGE COCK

Max working pressure 20 Bar (290 psi)



ITEM CODE	BSP	METRIC mm
591/0010	¾"	10
591/0015	½"	15

PRESSURE GAUGE 63MM DIAL

Glycerine Filled Bottom Entry ¼" BSP



ITEM CODE	kPa
590/63-0250	0 - 250
590/63-0400	0 - 400
590/63-0600	0 - 600
590/63-0800	0 - 800
590/63-1000	0 - 1000
590/63-1600	0 - 1600
590/63-2500	0 - 2500

PRESSURE GAUGE 100MM DIAL

Glycerine Filled Bottom Entry ¼" BSP



ITEM CODE	kPa
590/100-0250	0 - 250
590/100-0400	0 - 400
590/100-0600	0 - 600
590/100-0800	0 - 800
590/100-1000	0 - 1000
590/100-1600	0 - 1600
590/100-2500	0 - 2500



ALSO AVAILABLE IN

SABS
ISO 9001



**PROVEN
DURABILITY**

**PEACE OF
MIND**

**PERFECT
SEAL**



VENICEVALVE.COM

COUPLER CxC



ITEM CODE	METRIC mm
532/0015	15
532/0022	22
532/0028	28
532/0035	35
532/0042	42
532/0054	54

COUPLER CxMI



ITEM CODE	METRIC mm x BSP
531/0015x0015	15 x 1/2"
531/0015x0020	15 x 3/4"
531/0022x0015	22 x 1/2"
531/0022x0020	22 x 3/4"
531/0028x0025	28 x 1"
531/0035x0032	35 x 1 1/4"
531/0042x0040	28 x 1 1/2"
531/0054x0050	54 x 2"

COUPLER CxFI



ITEM CODE	METRIC mm x BSP
535/0015	15 x 1/2"
535/0015x0020	15 x 3/4"
535/0022	22 x 3/4"
535/0022x0015	22 x 1/2"
535/0028	28 x 1"

REDUCER CxC



ITEM CODE	METRIC mm
541/0022x0015	22 x 15
541/0028x0015	28 x 15
541/0028x0022	28 x 22

STOP END



ITEM CODE	METRIC mm
539/0015	15
539/0022	22
539/0028	28

SPARE NUT



ITEM CODE	METRIC mm
540/0015	15
540/0022	22
540/0028	28

TEE CxCxC



ITEM CODE	METRIC mm
534/0015	15
534/0022	22
534/0028	28
534/0035	35
534/0042	42
534/0054	54

TEE FEMALE CxFI



ITEM CODE	METRIC mm x BSP
542/0015x0015	15 x 1/2"
542/0022x0020	22 x 3/4"
542/0028x0025	28 x 1"

ELBOW CxC



ITEM CODE	METRIC mm x BSP
533/0015	15
533/0022	22
533/0022x0015	22 x 15
533/0028	28
533/0035	35
533/0042	42
533/0054	54

ELBOW CxMI



ITEM CODE	METRIC mm
536/0015	15 x 1/2"
536/0015x0020	15 x 3/4"
536/0022x0015	22 x 1/2"
536/0022	22 x 3/4"
536/0028	28 x 1"

ELBOW CxFI



ITEM CODE	METRIC mm x BSP
537/0015	15 x 1/2"
537/0015x0020	15 x 3/4"
537/0022x0015	22 x 1/2"
537/0022	22 x 3/4"
537/0028	28 x 1"

WALL PLATE (3 HOLES)

Teflon density 0.24cm³



ITEM CODE	METRIC mm
538/0015	15 x 1/2"
538/0022	22 x 3/4"

TEE REDUCER CxCxC



ITEM CODE	SIZE
543/0022x0015	22mm x 15mm

SPARE OLIVE



ITEM CODE	METRIC mm
545/0015	15
545/0022	22
545/0028	28

BRASS SPRING CHECK VALVE CxC

Max working pressure 10 Bar (145psi)



ITEM CODE	METRIC mm
593/0015	15
593/0022	22

ALSO AVAILABLE IN

SABS

Brass Fittings I S O 9 0 0 1

PTFE TAPE



ITEM CODE	METRIC mm x BSP
564/0012	12mm x 0.075mm x 10m
564/0019	19mm x 0.075mm x 10m
564HD/0019x30m	19mm x 0.1mm x 30m
564/0025	25mm x 0.075mm x 10m

HOLDERBAT



ITEM CODE	SIZE
406/0015	15mm
406/0022	22mm

GRAPHITE GLAND PACKING



ITEM CODE	SIZE
563/0006	6mm x 1m
563/0008	8mm x 1m
563/0010	10mm x 1m
563/0012	12mm x 1m
563/0016	16mm x 1m
563/0020	20mm x 1m

HEX NIPPLE



ITEM CODE	BSP	METRIC mm
562/0015	1/2"	15
562/0020	3/4"	20
562/0025	1"	25
562/0040	1 1/2"	40
562/0050	2"	50

REDUCING BUSH



ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
560/0010x0008	3/8" x 1/4"	10 x 8	560/0040x0015	1 1/2" x 1/2"	40 x 15
560/0015x0008	1/2" x 1/4"	15 x 8	560/0040x0020	1 1/2" x 3/4"	40 x 20
560/0015x0010	1/2" x 3/8"	15 x 10	560/0040x0025	1 1/2" x 1"	40 x 25
560/0020x0015	3/4" x 1/2"	20 x 15	560/0040x0032	1 1/2" x 1 1/4"	40 x 32
560/0025x0015	1" x 1/2"	25 x 15	560/0050x0015	2" x 1/2"	50 x 15
560/0025x0020	1" x 3/4"	25 x 20	560/0050x0020	2" x 3/4"	50 x 20
560/0032x0015	1 1/4" x 1/2"	32 x 15	560/0050x0025	2" x 1"	50 x 25
560/0032x0020	1 1/4" x 3/4"	32 x 20	560/0050x0032	2" x 1 1/4"	50 x 32
560/0032x0025	1 1/4" x 1"	32 x 25	560/0050x0040	2" x 1 1/2"	50 x 40

DELCOP COUPLER CxFI



ITEM CODE	METRIC mm x BSP
584/0015x0015	15 x 1/2"
584/0022x0020	22 x 3/4"

DELCOP COUPLER CxMI



ITEM CODE	METRIC mm x BSP
585/0015x0015	15 x 1/2"
585/0022x0020	22 x 3/4"

DELCOP ELBOW CxFI



ITEM CODE	METRIC mm x BSP
586/0015x0015	15 x 1/2"
586/0022x0020	22 x 3/4"

DELCOP ELBOW CxMI



ITEM CODE	METRIC mm x BSP
587/0015x0015	15 x 1/2"
587/0022x0020	22 x 3/4"

DELCOP TEE CxFI



ITEM CODE	METRIC mm x BSP
588/0015x0015	15 x 1/2"
588/0022x0020	22 x 3/4"

DELCOP WALLPLATE (3 HOLES)



ITEM CODE	METRIC mm x BSP
589/0015x0015	15 x 1/2"
589/0022x0020	22 x 3/4"

COPPER CAPILLARY ELBOW



ITEM CODE	METRIC mm
570/0015	15
570/0022	22

COPPER CAPILLARY REDUCING ELBOW




ITEM CODE	METRIC mm
574/0022x0015	22 x 15

COPPER CAPILLARY 45° ELBOW




ITEM CODE	METRIC mm
576/0015	15
576/0022	22

COPPER CAPILLARY TEE



ITEM CODE	METRIC mm
571/0015	15
571/0022	22

COPPER CAPILLARY TEE REDUCING



ITEM CODE	METRIC mm
577/0015x0022	15 x 22
577/0022x0015	22 x 15

COPPER CAPILLARY CROSS OVER




ITEM CODE	METRIC mm
578/0015	15
578/0022	22

COPPER CAPILLARY COUPLING



ITEM CODE	METRIC mm
572/0015	15
572/0022	22

COPPER CAPILLARY SLIP COUPLING



ITEM CODE	METRIC mm
579/0015	15
579/0022	22

COPPER CAPILLARY REDUCING COUPLING



ITEM CODE	METRIC mm
573/0022x0015	22 x 15

COPPER CAPILLARY END CAP



ITEM CODE	METRIC mm
575/0015	15
575/0022	22

GEKA TYPE FITTING - FEMALE



ITEM CODE	BSP	METRIC mm
523/0015	½"	15
523/0020	¾"	20
523/0025	1"	25

GEKA TYPE FITTING - MALE



ITEM CODE	BSP	METRIC mm
524/0015	½"	15
524/0020	¾"	20
524/0025	1"	25

GEKA TYPE FITTING - HOSE TAIL



ITEM CODE	METRIC mm
525/0013	13
525/0016	16
525/0019	19
525/0025	25

GEKA TYPE FITTING - BLANK



ITEM CODE	SIZE
526/BLANK	BLANK

GEKA TYPE FITTING - RUBBER



ITEM CODE	SPARE
527/RUBBER	RUBBER



**PROVEN
DURABILITY**

**PEACE OF
MIND**

**PERFECT
SEAL**



VENICEVALVE.COM

BUTTERFLY VALVE GEARBOX



ITEM CODE	SIZE mm	TORQUE	RATIO	WEIGHT	HAND WHEEL CONNECTION	FLANGE
567/0040	40	170	24:1	3.7	PIN 5 x 40	F05
567/0050-0080	50 - 80	170	24:1	3.7	PIN 5 x 40	F05
567/0100	100	170	24:1	3.7	PIN 5 x 40	F07
567/0125-0150	125 - 150	170	24:1	3.7	PIN 5 x 40	F07
567/0200	200	750	30:1	8.5	PIN 6 x 45	F10
567/0250	250	750	30:1	8.5	PIN 6 x 45	F10
567/0300-0350	300-350	1200	50:1	10	PIN 8 x 45	F10

BUTTERFLY VALVE - DI DISC

Max working pressure 16 Bar (230 psi)

80mm - 300mm
available in gearbox



ITEM CODE	SIZE mm
565/0040	40
565/0050	50
565/0065	65
565/0080	80
565/0100	100
565/0125	125
565/0150	150
565/0200	200
565/0250	250
565/0300	300
565/0350	350

BUTTERFLY VALVE - SS 316 DISC

Max working pressure 16 Bar (230 psi)

80mm - 300mm
available in gearbox



ITEM CODE	SIZE mm
566/0040	40
566/0050	50
566/0065	65
566/0080	80
566/0100	100
566/0125	125
566/0150	150
566/0200	200
566/0250	250
566/0300	300
566/0350	350

DOUBLE DOOR CHECK VALVE - DI DISC

Max working pressure 16 Bar (230 psi)



ITEM CODE	SIZE mm
568/0040	40
568/0050	50
568/0065	65
568/0080	80
568/0100	100
568/0125	125
568/0150	150
568/0200	200
568/0250	250
568/0300	300
568/0350	350

DOUBLE DOOR CHECK VALVE - SS 316 DISC

Max working pressure 16 Bar (230 psi)



ITEM CODE	SIZE mm
569/0040	40
569/0050	50
569/0065	65
569/0080	80
569/0100	100
569/0125	125
569/0150	150
569/0200	200
569/0250	250
569/0300	300
569/0350	350

MULTI RANGE FLANGE ADAPTOR

Max working pressure 16 Bar (230 psi)



ITEM CODE	RANGE mm
547/0040	48-58
547/0050	59-72
547/0065	72-85
547/0080	88-103
547/0100	109-128
547/0100A	99-118
547/0125	132-153
547/0150	159-182
547/0150A	150-170
547/0200A	192-210
547/0200B	218-235
547/0250	272-289
547/0300A	315-332

MULTI RANGE COUPLING

Max working pressure 16 Bar (230 psi)



ITEM CODE	RANGE mm
546/0040	48-58
546/0050	59-72
546/0050B	59-78
546/0065	72-85
546/0080	88-103
546/0100	107-128
546/0100A	99-118
546/0125	132-153
546/0125B	135-161
546/0150	159-182
546/0150A	150-170
546/0175	192-210
546/0200	218-235
546/0250A	242-267
546/0250B	272-289
546/0300A	302-327
546/0300B	315-332
546/0350	340-360



**PROVEN
DURABILITY**

**PEACE OF
MIND**

**PERFECT
SEAL**



VENICEVALVE.COM

ONE PIECE BALL VALVE

Max working pressure 25 Bar (360 psi)



ITEM CODE	BSP	METRIC mm
442/0008	¼"	8
442/0010	⅜"	10
442/0015	½"	15
442/0020	¾"	20
442/0025	1"	25
442/0032	1¼"	32
442/0040	1½"	40
442/0050	2"	50

TWO PIECE BALL VALVE (WITH LOCK)

Max working pressure 25 Bar (360 psi)



ITEM CODE	BSP	METRIC mm
440/0015	½"	15
440/0020	¾"	20
440/0025	1"	25
440/0032	1¼"	32
440/0040	1½"	40
440/0050	2"	50

THREE PIECE BALL VALVE

Max working pressure 25 Bar (360 psi)



ITEM CODE	BSP	METRIC mm
441/0008	¼"	8
441/0010	⅜"	10
441/0015	½"	15
441/0020	¾"	20
441/0025	1"	25
441/0032	1¼"	32
441/0040	1½"	40
441/0050	2"	50

45° ELBOW



ITEM CODE	BSP	METRIC mm
458/0008	¼"	8
458/0010	⅜"	10
458/0015	½"	15
458/0020	¾"	20
458/0025	1"	25
458/0032	1¼"	32
458/0040	1½"	40
458/0050	2"	50

90° ELBOW



ITEM CODE	BSP	METRIC mm
450/0008	¼"	8
450/0010	⅜"	10
450/0015	½"	15
450/0020	¾"	20
450/0025	1"	25
450/0032	1¼"	32
450/0040	1½"	40
450/0050	2"	50

SOCKET



ITEM CODE	BSP	METRIC mm
452/0008	¼"	8
452/0010	⅜"	10
452/0015	½"	15
452/0020	¾"	20
452/0025	1"	25
452/0032	1¼"	32
452/0040	1½"	40
452/0050	2"	50

ELBOW Mx F

Max working pressure 16 Bar (230 psi)



ITEM CODE	SIZE mm
465/0015	15
465/0020	20
465/0025	25
465/0032	32
465/0040	40
465/0050	50

SOCKETS PARALLEL

Max working pressure 16 Bar (230 psi)



ITEM CODE	SIZE mm
464/0008	8
464/0010	10
464/0015	15
464/0020	20
464/0025	25
464/0032	32
464/0040	40
464/0050	50

BARREL NIPPLE



ITEM CODE	BSP	METRIC mm
457/0008	¼"	8
457/0010	⅜"	10
457/0015	½"	15
457/0020	¾"	20
457/0025	1"	25
457/0032	1¼"	32
457/0040	1½"	40
457/0050	2"	50

HEX NIPPLE



ITEM CODE	BSP	METRIC mm
456/0008	¼"	8
456/0010	⅜"	10
456/0015	½"	15
456/0020	¾"	20
456/0025	1"	25
456/0032	1¼"	32
456/0040	1½"	40
456/0050	2"	50

SWAGE NIPPLE



ITEM CODE	BSP	METRIC mm
453/0008	¼"	8
453/0010	⅜"	10
453/0015	½"	15
453/0020	¾"	20
453/0025	1"	25
453/0032	1¼"	32
453/0040	1½"	40
453/0050	2"	50

EQUAL TEE



ITEM CODE	BSP	METRIC mm
451/0008	¼"	8
451/0010	⅜"	10
451/0015	½"	15
451/0020	¾"	20
451/0025	1"	25
451/0032	1¼"	32
451/0040	1½"	40
451/0050	2"	50

CROSS



ITEM CODE	BSP	METRIC mm
461/0015	½"	15
461/0020	¾"	20
461/0025	1"	25
461/0032	1¼"	32
461/0040	1½"	40
461/0050	2"	50

UNION



ITEM CODE	BSP	METRIC mm
455/0015	½"	15
455/0020	¾"	20
455/0025	1"	25
455/0032	1¼"	32
455/0040	1½"	40
455/0050	2"	50

REDUCING BUSH



ITEM CODE	BSP	METRIC mm
454/0010x0008	⅜" x ¼"	10 x 8
454/0015x0008	½" x ¼"	15 x 8
454/0015x0010	½" x ⅜"	15 x 10
454/0020x0008	¾" x ¼"	20 x 8
454/0020x0010	¾" x ⅜"	20 x 10
454/0020x0015	¾" x ½"	20 x 15
454/0025x0015	1" x ½"	25 x 15
454/0025x0020	1" x ¾"	25 x 20
454/0032x0015	1¼" x ½"	32 x 15
454/0032x0020	1¼" x ¾"	32 x 20
454/0032x0025	1¼" x 1"	32 x 25
454/0040x0015	1½" x ½"	40 x 15
454/0040x0020	1½" x ¾"	40 x 20
454/0040x0025	1½" x 1"	40 x 25
454/0040x0032	1½" x 1¼"	40 x 32
454/0050x0015	2" x ½"	50 x 15
454/0050x0020	2" x ¾"	50 x 20
454/0050x0025	2" x 1"	50 x 25
454/0050x0032	2" x 1¼"	50 x 32
454/0050x0040	2" x 1½"	50 x 40

REDUCING SOCKET



ITEM CODE	BSP	METRIC mm
459/0010x0008	⅜" x ¼"	10 x 8
459/0015x0008	½" x ¼"	15 x 8
459/0015x0010	½" x ⅜"	15 x 10
459/0020x0008	¾" x ¼"	20 x 8
459/0020x0010	¾" x ⅜"	20 x 10
459/0020x0015	¾" x ½"	20 x 15
459/0025x0015	1" x ½"	25 x 15
459/0025x0020	1" x ¾"	25 x 20
459/0032x0015	1¼" x ½"	32 x 15
459/0032x0020	1¼" x ¾"	32 x 20
459/0032x0025	1¼" x 1"	32 x 25
459/0040x0015	1½" x ½"	40 x 15
459/0040x0020	1½" x ¾"	40 x 20
459/0040x0025	1½" x 1"	40 x 25
459/0040x0032	1½" x 1¼"	40 x 32
459/0050x0015	2" x ½"	50 x 15
459/0050x0020	2" x ¾"	50 x 20
459/0050x0025	2" x 1"	50 x 25
459/0050x0032	2" x 1¼"	50 x 32
459/0050x0040	2" x 1½"	50 x 40

REDUCING TEE



ITEM CODE	BSP	METRIC mm
460/0010x0008	⅜" x ¼"	10 x 8
460/0015x0008	½" x ¼"	15 x 8
460/0015x0010	½" x ⅜"	15 x 10
460/0020x0008	¾" x ¼"	20 x 8
460/0020x0010	¾" x ⅜"	20 x 10
460/0020x0015	¾" x ½"	20 x 15
460/0025x0015	1" x ½"	25 x 15
460/0025x0020	1" x ¾"	25 x 20
460/0032x0015	1¼" x ½"	32 x 15
460/0032x0020	1¼" x ¾"	32 x 20
460/0032x0025	1¼" x 1"	32 x 25
460/0040x0015	1½" x ½"	40 x 15
460/0040x0020	1½" x ¾"	40 x 20
460/0040x0025	1½" x 1"	40 x 25
460/0040x0032	1½" x 1¼"	40 x 32
460/0050x0015	2" x ½"	50 x 15
460/0050x0020	2" x ¾"	50 x 20
460/0050x0025	2" x 1"	50 x 25
460/0050x0032	2" x 1¼"	50 x 32
460/0050x0040	2" x 1½"	50 x 40

PLUGS

Max working pressure 16 Bar (230 psi)



ITEM CODE	SIZE mm
462/0008	8
462/0010	10
462/0015	15
462/0020	20
462/0025	25
462/0032	32
462/0040	40
462/0050	50

CAPS

Max working pressure 16 Bar (230 psi)



ITEM CODE	SIZE mm
463/0008	8
463/0010	10
463/0015	15
463/0020	20
463/0025	25
463/0032	32
463/0040	40
463/0050	50



MING® The **HEAVYWEIGHT** of galvanised fittings continues to forge a solid name for its uncompromising quality.

MING® hot dipped malleable iron fittings are each individually pressure tested to ensure pin hole free quality.

Each fitting is coated with a light oil to prevent corrosion on threads which conform to ISO 7-1 (BSP Standard) and ensure a perfect seal for the fittings lifetime.

Here are some interesting facts about our **MING®** Products:


Max Pressure : 16 Bar (230Psi) (1.6Mpa)

Max Temperature : 200°C (392°F)

Tensile Strength : $\geq$ 330Mpa

Hardness : $\geq$ HB150 (Brinell)

Elongation Rate : $\geq$ 8%





**LONGER
LASTING**

**TAPERED
THREADS**

**PIN HOLE
FREE**

MINGGALV.COM

ELBOW 90°

ITEM CODE	BSP	METRIC mm
900/0008	¼"	8
900/0010	⅜"	10
900/0015	½"	15
900/0020	¾"	20
900/0025	1"	25
900/0032	1¼"	32
900/0040	1½"	40
900/0050	2"	50
900/0065	2½"	65
900/0080	3"	80
900/0100	4"	100
900/0150	6"	150

ELBOW 45°

ITEM CODE	BSP	METRIC mm
903/0015	½"	15
903/0020	¾"	20
903/0025	1"	25
903/0032	1¼"	32
903/0040	1½"	40
903/0050	2"	50
903/0065	2½"	65
903/0080	3"	80
903/0100	4"	100
903/0150	6"	150

ELBOW 90° MxF

ITEM CODE	BSP	METRIC mm
901/0008	¼"	8
901/0010	⅜"	10
901/0015	½"	15
901/0020	¾"	20
901/0025	1"	25
901/0032	1¼"	32
901/0040	1½"	40
901/0050	2"	50
901/0065	2½"	65
901/0080	3"	80
901/0100	4"	100

REDUCING ELBOW 90°

ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
902/0020x0015	¾" x ½"	20 x 15	902/0040x0025	1½" x 1"	40 x 25	902/0065x0040	2½" x 1½"	65 x 40
902/0025x0015	1" x ½"	25 x 15	902/0040x0032	1½" x 1¼"	40 x 32	902/0065x0050	2½" x 2"	65 x 50
902/0025x0020	1" x ¾"	25 x 20	902/0050x0015	2" x ½"	50 x 15	902/0080x0040	3" x 1½"	80 x 40
902/0032x0015	1¼" x ½"	32 x 15	902/0050x0020	2" x ¾"	50 x 20	902/0080x0050	3" x 2"	80 x 50
902/0032x0020	1¼" x ¾"	32 x 20	902/0050x0025	2" x 1"	50 x 25	902/0080x0065	3" x 2½"	80 x 65
902/0032x0025	1¼" x 1"	32 x 25	902/0050x0032	2" x 1¼"	50 x 32	902/0100x0050	4" x 2"	100 x 50
902/0040x0015	1½" x ½"	40 x 15	902/0050x0040	2" x 1½"	50 x 40	902/0100x0065	4" x 2½"	100 x 65
902/0040x0020	1½" x ¾"	40 x 20	902/0065x0032	2½" x 1¼"	65 x 32	902/0100x0080	4" x 3"	100 x 80

SOCKET

ITEM CODE	BSP	METRIC mm
909/0008	¼"	8
909/0010	⅜"	10
909/0015	½"	15
909/0020	¾"	20
909/0025	1"	25
909/0032	1¼"	32
909/0040	1½"	40
909/0050	2"	50
909/0065	2½"	65
909/0080	3"	80
909/0100	4"	100
909/0150	6"	150

REDUCING SOCKET

ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
910/0015x0010	½" x ⅜"	15 x 10	910/0065x0025	2½" x 1"	65 x 25
910/0020x0015	¾" x ½"	20 x 15	910/0065x0032	2½" x 1¼"	65 x 32
910/0025x0015	1" x ½"	25 x 15	910/0065x0040	2½" x 1½"	65 x 40
910/0025x0020	1" x ¾"	25 x 20	910/0065x0050	2½" x 2"	65 x 50
910/0032x0015	1¼" x ½"	32 x 15	910/0080x0020	3" x ¾"	80 x 20
910/0032x0020	1¼" x ¾"	32 x 20	910/0080x0025	3" x 1"	80 x 25
910/0032x0025	1¼" x 1"	32 x 25	910/0080x0032	3" x 1¼"	80 x 32
910/0040x0015	1½" x ½"	40 x 15	910/0080x0040	3" x 1½"	80 x 40
910/0040x0020	1½" x ¾"	40 x 20	910/0080x0050	3" x 2"	80 x 50
910/0040x0025	1½" x 1"	40 x 25	910/0080x0065	3" x 2½"	80 x 65
910/0040x0032	1½" x 1¼"	40 x 32	910/0100x0025	4" x 1"	100 x 25
910/0050x0015	2" x ½"	50 x 15	910/0100x0032	4" x 1¼"	100 x 32
910/0050x0020	2" x ¾"	50 x 20	910/0100x0040	4" x 1½"	100 x 40
910/0050x0025	2" x 1"	50 x 25	910/0100x0050	4" x 2"	100 x 50
910/0050x0032	2" x 1¼"	50 x 32	910/0100x0065	4" x 2½"	100 x 65
910/0050x0040	2" x 1½"	50 x 40	910/0100x0080	4" x 3"	100 x 80



TEE



ITEM CODE	BSP	METRIC mm
912/0008	¼"	8
912/0010	⅜"	10
912/0015	½"	15
912/0020	¾"	20
912/0025	1"	25
912/0032	1¼"	32
912/0040	1½"	40
912/0050	2"	50
912/0065	2½"	65
912/0080	3"	80
912/0100	4"	100
912/0150	6"	150

REDUCING TEE



ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
913/0020x0015	¾" x ½"	20 x 15	913/0050x0025	2" x 1"	50 x 25
913/0025x0015	1" x ½"	25 x 15	913/0050x0032	2" x 1¼"	50 x 32
913/0025x0020	1" x ¾"	25 x 20	913/0050x0040	2" x 1½"	50 x 40
913/0032x0015	1¼" x ½"	32 x 15	913/0065x0025	2½" x 1"	65 x 25
913/0032x0020	1¼" x ¾"	32 x 20	913/0065x0032	2½" x 1¼"	65 x 32
913/0032x0025	1¼" x 1"	32 x 25	913/0065x0040	2½" x 1½"	65 x 40
913/0040x0015	1½" x ½"	40 x 15	913/0080x0050	3" x 2"	80 x 50
913/0040x0020	1½" x ¾"	40 x 20	913/0080x0065	3" x 2½"	80 x 65
913/0040x0025	1½" x 1"	40 x 25	913/0100x0050	4" x 2"	100 x 50
913/0040x0032	1½" x 1¼"	40 x 32	913/0100x0065	4" x 2½"	100 x 65
913/0050x0015	2" x ½"	50 x 15	913/0100x0080	4" x 3"	100 x 80
913/0050x0020	2" x ¾"	50 x 20			

TEE ABNORMAL



ITEM CODE	BSP	METRIC
966/0032x0025x0015	1¼" x 1" x ½"	32 x 25 x 15
966/0032x0025x0025	1¼" x 1" x 1"	32 x 25 x 25
966/0040x0032x0015	1½" x 1¼" x ½"	40 x 32 x 15
966/0040x0032x0020	1½" x 1¼" x ¾"	40 x 32 x 20
966/0040x0032x0025	1½" x 1¼" x 1"	40 x 32 x 25
966/0040x0032x0032	1½" x 1¼" x 1¼"	40 x 32 x 32
966/0050x0040x0025	2" x 1½" x 1"	50 x 40 x 25

RUNNING NIPPLE



ITEM CODE	BSP	METRIC mm
906/0015	½"	15
906/0020	¾"	20
906/0025	1"	25
906/0032	1¼"	32
906/0040	1½"	40
906/0050	2"	50

HEXAGON NIPPLE



ITEM CODE	BSP	METRIC mm
915/0010	⅜"	10
915/0015	½"	15
915/0020	¾"	20
915/0025	1"	25
915/0032	1¼"	32
915/0040	1½"	40
915/0050	2"	50
915/0065	2½"	65
915/0080	3"	80
915/0100	4"	100

BARREL NIPPLE



ITEM CODE	BSP	METRIC mm
914/0008	¼"	8
914/0010	⅜"	10
914/0015	½"	15
914/0020	¾"	20
914/0025	1"	25
914/0032	1¼"	32
914/0040	1½"	40
914/0050	2"	50
914/0065	2½"	65
914/0080	3"	80
914/0100	4"	100
914/0150	6"	150

SWAGE NIPPLE



ITEM CODE	BSP	METRIC mm
917/0015	½"	15
917/0020	¾"	20
917/0025	1"	25
917/0032	1¼"	32
917/0040	1½"	40
917/0050	2"	50
917/0065	2½"	65
917/0080	3"	80
917/0100	4"	100
917/0150	6"	150

SWAGE COUPLING



ITEM CODE	BSP	METRIC mm
918/0015	½"	15
918/0020	¾"	20
918/0025	1"	25
918/0032	1¼"	32
918/0040	1½"	40
918/0050	2"	50
918/0065	2½"	65
918/0080	3"	80
918/0100	4"	100
918/0150	6"	150
918/0200	8"	200

UNION CONICAL



ITEM CODE	BSP	METRIC mm
921/0015	½"	15
921/0020	¾"	20
921/0025	1"	25
921/0032	1¼"	32
921/0040	1½"	40
921/0050	2"	50
921/0065	2½"	65
921/0080	3"	80
921/0100	4"	100

HOLLOW PLUG



ITEM CODE	BSP	METRIC mm
923/0008	¼"	8
923/0010	¾"	10
923/0015	½"	15
923/0020	¾"	20
923/0025	1"	25
923/0032	1¼"	32
923/0040	1½"	40
923/0050	2"	50
923/0065	2½"	65
923/0080	3"	80
923/0100	4"	100

ROUND CAP



ITEM CODE	BSP	METRIC mm
922/0010	¾"	10
922/0015	½"	15
922/0020	¾"	20
922/0025	1"	25
922/0032	1¼"	32
922/0040	1½"	40
922/0050	2"	50
922/0065	2½"	65
922/0080	3"	80
922/0100	4"	100

JOHNSON COUPLING



ITEM CODE	BSP	METRIC mm
919/0015	½"	15
919/0020	¾"	20
919/0025	1"	25
919/0032	1¼"	32
919/0040	1½"	40
919/0050	2"	50

LONG SCREW COMPLETE



ITEM CODE	BSP	METRIC mm
933/0015	½"	15
933/0020	¾"	20
933/0025	1"	25
933/0032	1¼"	32
933/0040	1½"	40
933/0050	2"	50

HOLDERBAT



ITEM CODE	BSP	METRIC mm
930/0015	½"	15
930/0020	¾"	20
930/0025	1"	25
930/0032	1¼"	32
930/0040	1½"	40
930/0050	2"	50

BACK NUT



ITEM CODE	BSP	METRIC mm
931/0015	½"	15
931/0020	¾"	20
931/0025	1"	25
931/0032	1¼"	32
931/0040	1½"	40
931/0050	2"	50
931/0065	2½"	65
931/0080	3"	80
931/0100	4"	100

CROSS



ITEM CODE	BSP	METRIC mm
924/0015	½"	15
924/0020	¾"	20
924/0025	1"	25
924/0032	1¼"	32
924/0040	1½"	40
924/0050	2"	50
924/0065	2½"	65
924/0080	3"	80
924/0100	4"	100

STEEL SOCKET



ITEM CODE	BSP	METRIC mm
934/0015	½"	15
934/0020	¾"	20
934/0025	1"	25
934/0032	1¼"	32
934/0040	1½"	40
934/0050	2"	50
934/0065	2½"	65
934/0080	3"	80
934/0100	4"	100

BEND 90° MxF



ITEM CODE	BSP	METRIC mm
905/0015	½"	15
905/0020	¾"	20
905/0025	1"	25
905/0032	1¼"	32
905/0040	1½"	40
905/0050	2"	50
905/0065	2½"	65
905/0080	3"	80
905/0100	4"	100

BEND 90° FxF



ITEM CODE	BSP	METRIC mm
904/0015	½"	15
904/0020	¾"	20
904/0025	1"	25
904/0032	1¼"	32
904/0040	1½"	40
904/0050	2"	50
904/0065	2½"	65
904/0080	3"	80
904/0100	4"	100



REDUCING BUSH




ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
920/0010x0008	3/8" x 1/4"	10 x 8	920/0040x0032	1 1/2" x 1 1/4"	40 x 32	920/0080x0025	3" x 1"	80 x 25
920/0015x0008	1/2" x 1/4"	15 x 8	920/0050x0015	2" x 1/2"	50 x 15	920/0080x0032	3" x 1 1/4"	80 x 32
920/0015x0010	1/2" x 3/8"	15 x 10	920/0050x0020	2" x 3/4"	50 x 20	920/0080x0040	3" x 1 1/2"	80 x 40
920/0020x0008	3/4" x 1/4"	20 x 8	920/0050x0025	2" x 1"	50 x 25	920/0080x0050	3" x 2"	80 x 50
920/0020x0010	3/4" x 3/8"	20 x 10	920/0050x0032	2" x 1 1/4"	50 x 32	920/0080x0065	3" x 2 1/2"	80 x 65
920/0020x0015	3/4" x 1/2"	20 x 15	920/0050x0040	2" x 1 1/2"	50 x 40	920/0100x0015	4" x 1/2"	100 x 15
920/0025x0015	1" x 1/2"	25 x 15	920/0065x0015	2 1/2" x 1/2"	65 x 15	920/0100x0020	4" x 3/4"	100 x 20
920/0025x0020	1" x 3/4"	25 x 20	920/0065x0020	2 1/2" x 3/4"	65 x 20	920/0100x0025	4" x 1"	100 x 25
920/0032x0015	1 1/4" x 1/2"	32 x 15	920/0065x0025	2 1/2" x 1"	65 x 25	920/0100x0032	4" x 1 1/4"	100 x 32
920/0032x0020	1 1/4" x 3/4"	32 x 20	920/0065x0032	2 1/2" x 1 1/4"	65 x 32	920/0100x0040	4" x 1 1/2"	100 x 40
920/0032x0025	1 1/4" x 1"	32 x 25	920/0065x0040	2 1/2" x 1 1/2"	65 x 40	920/0100x0050	4" x 2"	100 x 50
920/0040x0015	1 1/2" x 1/2"	40 x 15	920/0065x0050	2 1/2" x 2"	65 x 50	920/0100x0065	4" x 2 1/2"	100 x 65
920/0040x0020	1 1/2" x 3/4"	40 x 20	920/0080x0015	3" x 1/2"	80 x 15	920/0100x0080	4" x 3"	100 x 80
920/0040x0025	1 1/2" x 1"	40 x 25	920/0080x0020	3" x 3/4"	80 x 20			

STANDPIPE




ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
940/015x0150	1/2" x 150	15 x 150	940/032x0150	1 1/4" x 150	32 x 150	940/065x0150	2 1/2" x 150	65 x 150
940/015x0200	1/2" x 200	15 x 200	940/032x0200	1 1/4" x 200	32 x 200	940/065x0200	2 1/2" x 200	65 x 200
940/015x0300	1/2" x 300	15 x 300	940/032x0300	1 1/4" x 300	32 x 300	940/065x0300	2 1/2" x 300	65 x 300
940/015x0400	1/2" x 400	15 x 400	940/032x0400	1 1/4" x 400	32 x 400	940/065x0400	2 1/2" x 400	65 x 400
940/015x0450	1/2" x 450	15 x 450	940/032x0450	1 1/4" x 450	32 x 450	940/065x0450	2 1/2" x 450	65 x 450
940/015x0500	1/2" x 500	15 x 500	940/032x0500	1 1/4" x 500	32 x 500	940/065x0500	2 1/2" x 500	65 x 500
940/015x0600	1/2" x 600	15 x 600	940/032x0600	1 1/4" x 600	32 x 600	940/065x0600	2 1/2" x 600	65 x 600
940/015x0750	1/2" x 750	15 x 750	940/032x0750	1 1/4" x 750	32 x 750	940/065x0750	2 1/2" x 750	65 x 750
940/015x0900	1/2" x 900	15 x 900	940/032x0900	1 1/4" x 900	32 x 900	940/065x0900	2 1/2" x 900	65 x 900
940/015x1000	1/2" x 1000	15 x 1000	940/032x1000	1 1/4" x 1000	32 x 1000	940/065x1000	2 1/2" x 1000	65 x 1000
940/015x1200	1/2" x 1200	15 x 1200						
940/020x0150	3/4" x 150	20 x 150	940/040x0150	1 1/2" x 150	40 x 150	940/080x0150	3" x 150	80 x 150
940/020x0200	3/4" x 200	20 x 200	940/040x0200	1 1/2" x 200	40 x 200	940/080x0200	3" x 200	80 x 200
940/020x0300	3/4" x 300	20 x 300	940/040x0300	1 1/2" x 300	40 x 300	940/080x0300	3" x 300	80 x 300
940/020x0400	3/4" x 400	20 x 400	940/040x0400	1 1/2" x 400	40 x 400	940/080x0400	3" x 400	80 x 400
940/020x0450	3/4" x 450	20 x 450	940/040x0450	1 1/2" x 450	40 x 450	940/080x0450	3" x 450	80 x 450
940/020x0500	3/4" x 500	20 x 500	940/040x0500	1 1/2" x 500	40 x 500	940/080x0500	3" x 500	80 x 500
940/020x0600	3/4" x 600	20 x 600	940/040x0600	1 1/2" x 600	40 x 600	940/080x0600	3" x 600	80 x 600
940/020x0750	3/4" x 750	20 x 750	940/040x0750	1 1/2" x 750	40 x 750	940/080x0750	3" x 750	80 x 750
940/020x0900	3/4" x 900	20 x 900	940/040x0900	1 1/2" x 900	40 x 900	940/080x0900	3" x 900	80 x 900
940/020x1000	3/4" x 1000	20 x 1000	940/040x1000	1 1/2" x 1000	40 x 1000	940/080x1000	3" x 1000	80 x 1000
940/020x1200	3/4" x 1200	20 x 1200						
940/025x0150	1" x 150	25 x 150	940/050x0150	2" x 150	50 x 150	940/100x0150	4" x 150	100 x 150
940/025x0200	1" x 200	25 x 200	940/050x0200	2" x 200	50 x 200	940/100x0200	4" x 200	100 x 200
940/025x0300	1" x 300	25 x 300	940/050x0300	2" x 300	50 x 300	940/100x0300	4" x 300	100 x 300
940/025x0400	1" x 400	25 x 400	940/050x0400	2" x 400	50 x 400	940/100x0400	4" x 400	100 x 400
940/025x0450	1" x 450	25 x 450	940/050x0450	2" x 450	50 x 450	940/100x0450	4" x 450	100 x 450
940/025x0500	1" x 500	25 x 500	940/050x0500	2" x 500	50 x 500	940/100x0500	4" x 500	100 x 500
940/025x0600	1" x 600	25 x 600	940/050x0600	2" x 600	50 x 600	940/100x0600	4" x 600	100 x 600
940/025x0750	1" x 750	25 x 750	940/050x0750	2" x 750	50 x 750	940/100x0750	4" x 750	100 x 750
940/025x0900	1" x 900	25 x 900	940/050x0900	2" x 900	50 x 900	940/100x0900	4" x 900	100 x 900
940/025x1000	1" x 1000	25 x 1000	940/050x1000	2" x 1000	50 x 1000	940/100x1000	4" x 1000	100 x 1000

TABLE 16 - THREADED FLANGE



ITEM CODE	BSP	METRIC mm
937/0015	½"	15
937/0020	¾"	20
937/0025	1"	25
937/0032	1¼"	32
937/0040	1½"	40
937/0050	2"	50
937/0065	2½"	65
937/0080	3"	80
937/0100	4"	100
937/0150	6"	150

TABLE D - THREADED FLANGE



ITEM CODE	BSP	METRIC mm
936/0015	½"	15
936/0020	¾"	20
936/0025	1"	25
936/0032	1¼"	32
936/0040	1½"	40
936/0050	2"	50
936/0065	2½"	65
936/0080	3"	80
936/0100	4"	100
936/0150	6"	150

TABLE D BACKING RING



ITEM CODE	METRIC mm
938/0063	63
938/0075	75
938/0090	90
938/0110	110
938/0125	125
938/0140	140
938/0160	160
938/0200	200
938/0250	250
938/0315	315

1600/3 SLIP FLANGE



ITEM CODE	METRIC mm
939/0040	40
939/0050	50
939/0065	65
939/0080	80
939/0100	100
939/0150	150
939/0200	200
939/0250	250
939/0300	300
939/0350	350
939/0400	400

1000/3 SLIP FLANGE



ITEM CODE	METRIC mm
926/0040	40
926/0050	50
926/0065	65
926/0080	80
926/0100	100
926/0125	125
926/0150	150
926/0200	200
926/0250	250
926/0300	300
926/0350	350

TABLE D SLIP FLANGE



ITEM CODE	METRIC mm
927/0040	40
927/0050	50
927/0065	65
927/0080	80
927/0100	100
927/0125	125
927/0150	150
927/0200	200
927/0250	250
927/0300	300
927/0350	350

BLIND TD FLANGE



ITEM CODE	METRIC mm
928/0032	32
928/0040	40
928/0050	50
928/0065	65
928/0080	80
928/0100	100
928/0125	125
928/0150	150
928/0200	200
928/0250	250
928/0300	300

BLIND FLANGE 1600/8



ITEM CODE	METRIC mm
925/0050	50
925/0065	65
925/0080	80
925/0100	100
925/0150	150
925/0200	200

NEW RUBBER EXPANSION JOINTS

Table 1600/3



ITEM CODE	METRIC mm
982/0032	32
982/0040	40
982/0050	50
982/0065	65
982/0080	80
982/0100	100
982/0125	125
982/0150	150
982/0200	200
982/0250	250

NEW RUBBER EXPANSION JOINTS

Table 1000/3



ITEM CODE	METRIC mm
983/0032	32
983/0040	40
983/0050	50
983/0065	65
983/0080	80
983/0100	100
983/0125	125
983/0150	150
983/0200	200
983/0250	250

TABLE D - FF GASKET



ITEM CODE	METRIC mm
980/0032	32
980/0040	40
980/0050	50
980/0065	65
980/0080	80
980/0100	100
980/0125	125
980/0150	150
980/0200	200
980/0250	250

TABLE 16 - FF GASKET



ITEM CODE	METRIC mm
981/0032	32
981/0040	40
981/0050	50
981/0065	65
981/0080	80
981/0100	100
981/0125	125
981/0150	150
981/0200	200
981/0250	250





**LONGER
LASTING**

**TAPERED
THREADS**

**PIN HOLE
FREE**



MINGGALV.COM

ELBOW 90°



ITEM CODE	BSP	METRIC mm
950/0008	¼"	8
950/0010	⅜"	10
950/0015	½"	15
950/0020	¾"	20
950/0025	1"	25
950/0032	1¼"	32
950/0040	1½"	40
950/0050	2"	50
950/0065	2½"	65
950/0080	3"	80
950/0100	4"	100
950/0150	6"	150

ELBOW 45°



ITEM CODE	BSP	METRIC mm
953/0015	½"	15
953/0020	¾"	20
953/0025	1"	25
953/0032	1¼"	32
953/0040	1½"	40
953/0050	2"	50
953/0065	2½"	65
953/0080	3"	80
953/0100	4"	100
953/0150	6"	150

ELBOW 90° Mx F



ITEM CODE	BSP	METRIC mm
951/0015	½"	15
951/0020	¾"	20
951/0025	1"	25
951/0032	1¼"	32
951/0040	1½"	40
951/0050	2"	50
951/0065	2½"	65
951/0080	3"	80
951/0100	4"	100

REDUCING ELBOW 90°



ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
952/0020x0015	¾" x ½"	20 x 15	952/0040x0025	1½" x 1"	40 x 25	952/0065x0040	2½" x 1½"	65 x 40
952/0025x0015	1" x ½"	25 x 15	952/0040x0032	1½" x 1¼"	40 x 32	952/0065x0050	2½" x 2"	65 x 50
952/0025x0020	1" x ¾"	25 x 20	952/0050x0015	2" x ½"	50 x 15	952/0080x0040	3" x 1½"	80 x 40
952/0032x0015	1¼" x ½"	32 x 15	952/0050x0020	2" x ¾"	50 x 20	952/0080x0050	3" x 2"	80 x 50
952/0032x0020	1¼" x ¾"	32 x 20	952/0050x0025	2" x 1"	50 x 25	952/0080x0065	3" x 2½"	80 x 65
952/0032x0025	1¼" x 1"	32 x 25	952/0050x0032	2" x 1¼"	50 x 32	952/0100x0050	4" x 2"	100 x 50
952/0040x0015	1½" x ½"	40 x 15	952/0050x0040	2" x 1½"	50 x 40	952/0100x0065	4" x 2½"	100 x 65
952/0040x0020	1½" x ¾"	40 x 20	952/0065x0032	2½" x 1¼"	65 x 32	952/0100x0080	4" x 3"	100 x 80

SOCKET



ITEM CODE	BSP	METRIC mm
959/0008	¼"	8
959/0010	⅜"	10
959/0015	½"	15
959/0020	¾"	20
959/0025	1"	25
959/0032	1¼"	32
959/0040	1½"	40
959/0050	2"	50
959/0065	2½"	65
959/0080	3"	80
959/0100	4"	100
959/0150	6"	150

REDUCING SOCKET



ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
960/0015x0010	½" x ⅜"	15 x 10	960/0065x0025	2½" x 1"	65 x 25
960/0020x0015	¾" x ½"	20 x 15	960/0065x0032	2½" x 1¼"	65 x 32
960/0025x0015	1" x ½"	25 x 15	960/0065x0040	2½" x 1½"	65 x 40
960/0025x0020	1" x ¾"	25 x 20	960/0065x0050	2½" x 2"	65 x 50
960/0032x0015	1¼" x ½"	32 x 15	960/0080x0020	3" x ¾"	80 x 20
960/0032x0020	1¼" x ¾"	32 x 20	960/0080x0025	3" x 1"	80 x 25
960/0032x0025	1¼" x 1"	32 x 25	960/0080x0032	3" x 1¼"	80 x 32
960/0040x0015	1½" x ½"	40 x 15	960/0080x0040	3" x 1½"	80 x 40
960/0040x0020	1½" x ¾"	40 x 20	960/0080x0050	3" x 2"	80 x 50
960/0040x0025	1½" x 1"	40 x 25	960/0080x0065	3" x 2½"	80 x 65
960/0040x0032	1½" x 1¼"	40 x 32	960/0100x0025	4" x 1"	100 x 25
960/0050x0015	2" x ½"	50 x 15	960/0100x0032	4" x 1¼"	100 x 32
960/0050x0020	2" x ¾"	50 x 20	960/0100x0040	4" x 1½"	100 x 40
960/0050x0025	2" x 1"	50 x 25	960/0100x0050	4" x 2"	100 x 50
960/0050x0032	2" x 1¼"	50 x 32	960/0100x0065	4" x 2½"	100 x 65
960/0050x0040	2" x 1½"	50 x 40	960/0100x0080	4" x 3"	100 x 80



TEE



ITEM CODE	BSP	METRIC mm
962/0008	¼"	8
962/0010	⅜"	10
962/0015	½"	15
962/0020	¾"	20
962/0025	1"	25
962/0032	1¼"	32
962/0040	1½"	40
962/0050	2"	50
962/0065	2½"	65
962/0080	3"	80
962/0100	4"	100
962/0150	6"	150

REDUCING TEE



ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
963/0020x0015	¾" x ½"	20 x 15	963/0050x0025	2" x 1"	50 x 25
963/0025x0015	1" x ½"	25 x 15	963/0050x0032	2" x 1¼"	50 x 32
963/0025x0020	1" x ¾"	25 x 20	963/0050x0040	2" x 1½"	50 x 40
963/0032x0015	1¼" x ½"	32 x 15	963/0065x0025	2½" x 1"	65 x 25
963/0032x0020	1¼" x ¾"	32 x 20	963/0065x0032	2½" x 1¼"	65 x 32
963/0032x0025	1¼" x 1"	32 x 25	963/0065x0040	2½" x 1½"	65 x 40
963/0040x0015	1½" x ½"	40 x 15	963/0080x0050	3" x 2"	80 x 50
963/0040x0020	1½" x ¾"	40 x 20	963/0080x0065	3" x 2½"	80 x 65
963/0040x0025	1½" x 1"	40 x 25	963/0100x0050	4" x 2"	100 x 50
963/0040x0032	1½" x 1¼"	40 x 32	963/0100x0065	4" x 2½"	100 x 65
963/0050x0015	2" x ½"	50 x 15	963/0100x0080	4" x 3"	100 x 80
963/0050x0020	2" x ¾"	50 x 20			

ABNORMAL TEE



ITEM CODE	BSP	METRIC mm
966/0032x0025x0015	1¼" x 1" x ½"	32 x 25 x 15
966/0032x0025x0025	1¼" x 1" x 1"	32 x 25 x 25
966/0040x0032x0015	1½" x 1¼" x ½"	40 x 32 x 15
966/0040x0032x0020	1½" x 1¼" x ¾"	40 x 32 x 20
966/0040x0032x0025	1½" x 1¼" x 1"	40 x 32 x 25
966/0040x0032x0032	1½" x 1¼" x 1¼"	40 x 32 x 32
966/0050x0032x0025	2" x 1½" x 1"	50 x 32 x 25
966/0050x0040x0025	2" x 1½" x 1"	50 x 40 x 25

BEND 90° Mx F



ITEM CODE	BSP	METRIC mm
955/0015	½"	15
955/0020	¾"	20
955/0025	1"	25
955/0032	1¼"	32
955/0040	1½"	40
955/0050	2"	50
955/0065	2½"	65
955/0080	3"	80
955/0100	4"	100

BEND 90° Fx F



ITEM CODE	BSP	METRIC mm
954/0015	½"	15
954/0020	¾"	20
954/0025	1"	25
954/0032	1¼"	32
954/0040	1½"	40
954/0050	2"	50
954/0065	2½"	65
954/0080	3"	80
954/0100	4"	100

BARREL NIPPLE



ITEM CODE	BSP	METRIC mm
916/0008	¼"	8
916/0010	⅜"	10
916/0015	½"	15
916/0020	¾"	20
916/0025	1"	25
916/0032	1¼"	32
916/0040	1½"	40
916/0050	2"	50
916/0065	2½"	65
916/0080	3"	80
916/0100	4"	100
916/0150	6"	150

HEXAGON NIPPLE



ITEM CODE	BSP	METRIC mm
965/0010	⅜"	10
965/0015	½"	15
965/0020	¾"	20
965/0025	1"	25
965/0032	1¼"	32
965/0040	1½"	40
965/0050	2"	50
965/0065	2½"	65
965/0080	3"	80
965/0100	4"	100

SWAGE NIPPLE



ITEM CODE	BSP	METRIC mm
967/0015	½"	15
967/0020	¾"	20
967/0025	1"	25
967/0032	1¼"	32
967/0040	1½"	40
967/0050	2"	50
967/0065	2½"	65
967/0080	3"	80
967/0100	4"	100
967/0150	6"	150

CROSS



ITEM CODE	BSP	METRIC mm
974/0015	½"	15
974/0020	¾"	20
974/0025	1"	25
974/0032	1¼"	32
974/0040	1½"	40
974/0050	2"	50
974/0065	2½"	65
974/0080	3"	80
974/0100	4"	100

STEEL SOCKET



ITEM CODE	BSP	METRIC mm
935/0015	½"	15
935/0020	¾"	20
935/0025	1"	25
935/0032	1¼"	32
935/0040	1½"	40
935/0050	2"	50
935/0065	2½"	65
935/0080	3"	80
935/0100	4"	100

UNION CONICAL



ITEM CODE	BSP	METRIC mm
971/0015	½"	15
971/0020	¾"	20
971/0025	1"	25
971/0032	1¼"	32
971/0040	1½"	40
971/0050	2"	50
971/0065	2½"	65
971/0080	3"	80
971/0100	4"	100

JOHNSON COUPLING




ITEM CODE	BSP	METRIC mm
969/0015	½"	15
969/0020	¾"	20
969/0025	1"	25
969/0032	1¼"	32
969/0040	1½"	40
969/0050	2"	50

ROUND CAP



ITEM CODE	BSP	METRIC mm
972/0010	⅜"	10
972/0015	½"	15
972/0020	¾"	20
972/0025	1"	25
972/0032	1¼"	32
972/0040	1½"	40
972/0050	2"	50
972/0065	2½"	65
972/0080	3"	80
972/0100	4"	100

HOLLOW PLUG



ITEM CODE	BSP	METRIC mm
973/0010	⅜"	10
973/0015	½"	15
973/0020	¾"	20
973/0025	1"	25
973/0032	1¼"	32
973/0040	1½"	40
973/0050	2"	50
973/0065	2½"	65
973/0080	3"	80
973/0100	4"	100

REDUCING BUSH



ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
970/0010x0008	⅜" x ¼"	10 x 8	970/0040x0032	1½" x 1¼"	40 x 32	970/0080x0025	3" x 1"	80 x 25
970/0015x0008	½" x ¼"	15 x 8	970/0050x0015	2" x ½"	50 x 15	970/0080x0032	3" x 1¼"	80 x 32
970/0015x0010	½" x ⅜"	15 x 10	970/0050x0020	2" x ¾"	50 x 20	970/0080x0040	3" x 1½"	80 x 40
970/0020x0008	¾" x ¼"	20 x 8	970/0050x0025	2" x 1"	50 x 25	970/0080x0050	3" x 2"	80 x 50
970/0020x0010	¾" x ⅜"	20 x 10	970/0050x0032	2" x 1¼"	50 x 32	970/0080x0065	3" x 2½"	80 x 65
970/0020x0015	¾" x ½"	20 x 15	970/0050x0040	2" x 1½"	50 x 40	970/0100x0015	4" x ½"	100 x 15
970/0025x0015	1" x ½"	25 x 15	970/0065x0015	2½" x ½"	65 x 15	970/0100x0020	4" x ¾"	100 x 20
970/0025x0020	1" x ¾"	25 x 20	970/0065x0020	2½" x ¾"	65 x 20	970/0100x0025	4" x 1"	100 x 25
970/0032x0015	1¼" x ½"	32 x 15	970/0065x0025	2½" x 1"	65 x 25	970/0100x0032	4" x 1¼"	100 x 32
970/0032x0020	1¼" x ¾"	32 x 20	970/0065x0032	2½" x 1¼"	65 x 32	970/0100x0040	4" x 1½"	100 x 40
970/0032x0025	1¼" x 1"	32 x 25	970/0065x0040	2½" x 1½"	65 x 40	970/0100x0050	4" x 2"	100 x 50
970/0040x0015	1½" x ½"	40 x 15	970/0065x0050	2½" x 2"	65 x 50	970/0100x0065	4" x 2½"	100 x 65
970/0040x0020	1½" x ¾"	40 x 20	970/0080x0015	3" x ½"	80 x 15	970/0100x0080	4" x 3"	100 x 80
970/0040x0025	1½" x 1"	40 x 25	970/0080x0020	3" x ¾"	80 x 20			





**PROVEN
DURABILITY**

**PEACE OF
MIND**

**HOT
FORMED**

MINGGALV.COM

ELBOW LONG RADIUS 90°

CODE	SIZE mm	OD mm	ID mm
942/0015	15	21.7	16.1
942/0020	20	27.2	21.6
942/0025	25	34.0	27.6
942/0032	32	42.7	35.7
942/0040	40	48.6	41.6
942/0050	50	60.5	52.9
942/0065	65	76.3	67.9
942/0080	80	89.1	80.7
942/0090	90	101.6	93.2
942/0100	100	114.3	105.3
942/0125	125	139.8	130.8
942/0150	150	165.2	155.2
942/0200	*200	219.1	207.5
942/0250	*250	273.0	259.8
942/0300	*300	323.8	310.0
942/0350	350	355.6	339.8
942/0400	400	406.4	390.6
942/0450	450	457.2	441.4
942/0500	500	508.0	492.2
942/0550	550	558.8	543.0
942/0600	600	609.6	593.8

ELBOW SHORT RADIUS 90°

CODE	SIZE mm	OD mm	ID mm
943/0015	15	21.7	16.1
943/0020	20	27.2	21.6
943/0025	25	34.0	27.6
943/0032	32	42.7	35.7
943/0040	40	48.6	41.6
943/0050	50	60.5	52.9
943/0065	65	76.3	67.9
943/0080	80	89.1	80.7
943/0090	90	101.6	93.2
943/0100	100	114.3	105.3
943/0125	125	139.8	130.8
943/0150	150	165.2	155.2
943/0200	*200	219.1	207.5
943/0250	*250	273.0	259.8
943/0300	*300	323.8	310.0
943/0350	350	355.6	339.8
943/0400	400	406.4	390.6
943/0450	450	457.2	441.4
943/0500	500	508.0	492.2
943/0550	550	558.8	543.0
943/0600	600	609.6	593.8

ELBOW 45°

CODE	SIZE mm	OD mm	ID mm
944/0015	15	21.7	16.1
944/0020	20	27.2	21.6
944/0025	25	34.0	27.6
944/0032	32	42.7	35.7
944/0040	40	48.6	41.6
944/0050	50	60.5	52.9
944/0065	65	76.3	67.9
944/0080	80	89.1	80.7
944/0090	90	101.6	93.2
944/0100	100	114.3	105.3
944/0125	125	139.8	130.8
944/0150	150	165.2	155.2
944/0200	*200	219.1	207.5
944/0250	*250	273.0	259.8
944/0300	*300	323.8	310.0
944/0350	350	355.6	339.8
944/0400	400	406.4	390.6
944/0450	450	457.2	441.4
944/0500	500	508.0	492.2
944/0550	550	558.8	543.0
944/0600	600	609.6	593.8

TEE

CODE	SIZE mm	OD mm	ID mm
947/0015	15	21.7	16.1
947/0020	20	27.2	21.6
947/0025	25	34.0	27.6
947/0032	32	42.7	35.7
947/0040	40	48.6	41.6
947/0050	50	60.5	52.9
947/0065	65	76.3	67.9
947/0080	80	89.1	80.7
947/0090	90	101.6	93.2
947/0100	100	114.3	105.3
947/0125	125	139.8	130.8
947/0150	150	165.2	155.2
947/0200	*200	219.1	207.5
947/0250	*250	273.0	259.8
947/0300	*300	323.8	310.0
947/0350	350	355.6	339.8
947/0400	400	406.4	390.6
947/0450	450	457.2	441.4
947/0500	500	508.0	492.2
947/0550	550	558.8	543.0
947/0600	600	609.6	593.8

CAP

CODE	SIZE mm	OD mm	ID mm
949/0015	15	21.7	16.1
949/0020	20	27.2	21.6
949/0025	25	34.0	27.6
949/0032	32	42.7	35.7
949/0040	40	48.6	41.6
949/0050	50	60.5	52.9
949/0065	65	76.3	67.9
949/0080	80	89.1	80.7
949/0090	90	101.6	93.2
949/0100	100	114.3	105.3
949/0125	125	139.8	130.8
949/0150	150	165.2	155.2
949/0200	*200	219.1	207.5
949/0250	*250	273.0	259.8
949/0300	*300	323.8	310.0
949/0350	350	355.6	339.8
949/0400	400	406.4	390.6
949/0450	450	457.2	441.4
949/0500	500	508.0	492.2
949/0550	550	558.8	543.0
949/0600	600	609.6	593.8



REDUCER CONCENTRIC



CODE	SIZE mm	OD	CODE	SIZE mm	OD	CODE	SIZE mm	OD
945/0020x0015	20 x 15	27.2 x 21.7	945/0100x0050	100 x 50	114.3 x 60.5	945/0350x0200	350 x 200	355.6 x 219.1
945/0025x0015	25 x 15	24.0 x 21.7	945/0100x0065	100 x 65	114.3 x 76.3	945/0350x0250	*350 x 250	355.6 x 273.0
945/0025x0020	25 x 20	34.0 x 27.2	945/0100x0080	100 x 80	114.3 x 89.1	945/0350x0300	*350 x 300	355.6 x 323.8
945/0032x0015	32 x 15	42.7 x 21.7	945/0100x0090	100 x 90	114.3 x 101.6	945/0400x0150	400 x 150	406.4 x 165.2
945/0032x0020	32 x 20	42.7 x 27.2	945/0125x0050	125 x 50	139.8 x 60.5	945/0400x0200	*400 x 200	406.4 x 219.1
945/0032x0025	32 x 25	42.7 x 34.0	945/0125x0065	125 x 65	139.8 x 76.3	945/0400x0250	*400 x 250	406.4 x 273.0
945/0040x0015	40 x 15	48.6 x 21.7	945/0125x0080	125 x 80	139.8 x 89.1	945/0400x0300	400 x 300	406.4 x 318.5
945/0040x0020	40 x 20	48.6 x 27.2	945/0125x0090	125 x 90	139.8 x 101.6	945/0400x0350	400 x 350	406.4 x 355.6
945/0040x0025	40 x 25	48.6 x 34.0	945/0125x0100	125 x 100	139.8 x 114.3	945/0450x0250	*450 x 250	457.2 x 273.0
945/0040x0032	40 x 32	48.6 x 42.7	945/0150x0065	150 x 65	165.2 x 76.3	945/0450x0300	*450 x 300	457.2 x 323.8
945/0050x0020	50 x 20	60.5 x 27.2	945/0150x0080	150 x 80	165.2 x 89.1	945/0450x0350	450 x 350	457.2 x 355.6
945/0050x0025	50 x 25	60.5 x 34.0	945/0150x0090	150 x 90	165.2 x 101.6	945/0500x0400	450 x 400	457.2 x 406.4
945/0050x0032	50 x 32	60.5 x 42.7	945/0150x0100	150 x 100	165.2 x 114.3	945/0500x0200	*500 x 200	508.0 x 219.1
945/0050x0040	50 x 40	60.5 x 48.6	945/0150x0125	150 x 125	165.2 x 139.8	945/0500x0250	*500 x 250	508.0 x 273.0
945/0065x0025	65 x 25	76.3 x 34.0	945/0200x0080	*200 x 80	219.1 x 89.1	945/0500x0300	*500 x 300	508.0 x 323.8
945/0065x0032	65 x 32	76.3 x 42.7	945/0200x0090	*200 x 90	219.1 x 101.6	945/0500x0350	500 x 350	508.0 x 355.6
945/0065x0040	65 x 40	76.3 x 48.6	945/0200x0100	*200 x 100	219.1 x 114.3	945/0500x0400	500 x 400	508.0 x 406.4
945/0065x0050	65 x 50	76.3 x 60.5	945/0200x0125	*200 x 125	219.1 x 139.8	945/0500x0450	500 x 450	508.0 x 457.2
945/0080x0032	80 x 32	89.1 x 42.7	945/0200x0150	*200 x 150	219.1 x 165.2	945/0550x0350	550 x 350	508.8 x 355.6
945/0080x0040	80 x 40	89.1 x 48.6	945/0250x0100	*250 x 100	273.0 x 114.3	945/0550x0400	550 x 400	558.8 x 406.4
945/0080x0050	80 x 50	89.1 x 60.5	945/0250x0125	*250 x 125	273.0 x 139.8	945/0550x0450	550 x 450	558.8 x 457.2
945/0080x0065	80 x 65	89.1 x 76.3	945/0250x0150	*250 x 150	273.0 x 165.2	945/0550x0500	550 x 500	558.8 x 508.0
945/0090x0032	90 x 32	101.6 x 42.7	945/0250x0200	*250 x 200	273.0 x 219.1	945/0600x0400	600 x 400	609.6 x 406.4
945/0090x0040	90 x 40	101.6 x 48.6	945/0300x0125	*300 x 125	323.8 x 139.8	945/0600x0450	600 x 450	609.6 x 457.2
945/0090x0050	90 x 50	101.6 x 60.5	945/0300x0150	*300 x 150	323.8 x 165.2	945/0600x0500	600 x 500	609.6 x 508.0
945/0090x0065	90 x 65	101.6 x 76.3	945/0300x0200	*300 x 200	323.8 x 219.1	945/0600x0550	600 x 550	609.6 x 558.8
945/0090x0080	90 x 80	101.6 x 89.1	945/0300x0250	*300 x 250	323.8 x 273.0			
945/0100x0040	100 x 40	114.3 x 48.6	945/0350x0150	350 x 150	355.6 x 165.2			

REDUCER ECCENTRIC




CODE	SIZE mm	OD	CODE	SIZE mm	OD	CODE	SIZE mm	OD
946/0020x0015	20 x 15	27.2 x 21.7	946/0100x0050	100 x 50	114.3 x 60.5	946/0350x0200	350 x 200	355.6 x 219.1
946/0025x0015	25 x 15	24.0 x 21.7	946/0100x0065	100 x 65	114.3 x 76.3	946/0350x0250	*350 x 250	355.6 x 273.0
946/0025x0020	25 x 20	34.0 x 27.2	946/0100x0080	100 x 80	114.3 x 89.1	946/0350x0300	*350 x 300	355.6 x 323.8
946/0032x0015	32 x 15	42.7 x 21.7	946/0100x0090	100 x 90	114.3 x 101.6	946/0400x0150	400 x 150	406.4 x 165.2
946/0032x0020	32 x 20	42.7 x 27.2	946/0125x0050	125 x 50	139.8 x 60.5	946/0400x0200	*400 x 200	406.4 x 219.1
946/0032x0025	32 x 25	42.7 x 34.0	946/0125x0065	125 x 65	139.8 x 76.3	946/0400x0250	*400 x 250	406.4 x 273.0
946/0040x0015	40 x 15	48.6 x 21.7	946/0125x0080	125 x 80	139.8 x 89.1	946/0400x0300	400 x 300	406.4 x 318.5
946/0040x0020	40 x 20	48.6 x 27.2	946/0125x0090	125 x 90	139.8 x 101.6	946/0400x0350	400 x 350	406.4 x 355.6
946/0040x0025	40 x 25	48.6 x 34.0	946/0125x0100	125 x 100	139.8 x 114.3	946/0450x0250	*450 x 250	457.2 x 273.0
946/0040x0032	40 x 32	48.6 x 42.7	946/0150x0065	150 x 65	165.2 x 76.3	946/0450x0300	*450 x 300	457.2 x 323.8
946/0050x0020	50 x 20	60.5 x 27.2	946/0150x0080	150 x 80	165.2 x 89.1	946/0450x0350	450 x 350	457.2 x 355.6
946/0050x0025	50 x 25	60.5 x 34.0	946/0150x0090	150 x 90	165.2 x 101.6	946/0500x0400	450 x 400	457.2 x 406.4
946/0050x0032	50 x 32	60.5 x 42.7	946/0150x0100	150 x 100	165.2 x 114.3	946/0500x0200	*500 x 200	508.0 x 219.1
946/0050x0040	50 x 40	60.5 x 48.6	946/0150x0125	150 x 125	165.2 x 139.8	946/0500x0250	*500 x 250	508.0 x 273.0
946/0065x0025	65 x 25	76.3 x 34.0	946/0200x0080	*200 x 80	219.1 x 89.1	946/0500x0300	*500 x 300	508.0 x 323.8
946/0065x0032	65 x 32	76.3 x 42.7	946/0200x0090	*200 x 90	219.1 x 101.6	946/0500x0350	500 x 350	508.0 x 355.6
946/0065x0040	65 x 40	76.3 x 48.6	946/0200x0100	*200 x 100	219.1 x 114.3	946/0500x0400	500 x 400	508.0 x 406.4
946/0065x0050	65 x 50	76.3 x 60.5	946/0200x0125	*200 x 125	219.1 x 139.8	946/0500x0450	500 x 450	508.0 x 457.2
946/0080x0032	80 x 32	89.1 x 42.7	946/0200x0150	*200 x 150	219.1 x 165.2	946/0550x0350	550 x 350	508.8 x 355.6
946/0080x0040	80 x 40	89.1 x 48.6	946/0250x0100	*250 x 100	273.0 x 114.3	946/0550x0400	550 x 400	558.8 x 406.4
946/0080x0050	80 x 50	89.1 x 60.5	946/0250x0125	*250 x 125	273.0 x 139.8	946/0550x0450	550 x 450	558.8 x 457.2
946/0080x0065	80 x 65	89.1 x 76.3	946/0250x0150	*250 x 150	273.0 x 165.2	946/0550x0500	550 x 500	558.8 x 508.0
946/0090x0032	90 x 32	101.6 x 42.7	946/0250x0200	*250 x 200	273.0 x 219.1	946/0600x0400	600 x 400	609.6 x 406.4
946/0090x0040	90 x 40	101.6 x 48.6	946/0300x0125	*300 x 125	323.8 x 139.8	946/0600x0450	600 x 450	609.6 x 457.2
946/0090x0050	90 x 50	101.6 x 60.5	946/0300x0150	*300 x 150	323.8 x 165.2	946/0600x0500	600 x 500	609.6 x 508.0
946/0090x0065	90 x 65	101.6 x 76.3	946/0300x0200	*300 x 200	323.8 x 219.1	946/0600x0550	600 x 550	609.6 x 558.8
946/0090x0080	90 x 80	101.6 x 89.1	946/0300x0250	*300 x 250	323.8 x 273.0			
946/0100x0040	100 x 40	114.3 x 48.6	946/0350x0150	350 x 150	355.6 x 165.2			

TEE REDUCING



CODE	SIZE mm	OD	CODE	SIZE mm	OD	CODE	SIZE mm	OD
948/0020x0015	20 x 15	27.2 x 21.7	948/0100x0050	100 x 50	114.3 x 60.5	948/0350x0200	350 x 200	355.6 x 219.1
948/0025x0015	25 x 15	24.0 x 21.7	948/0100x0065	100 x 65	114.3 x 76.3	948/0350x0250	*350 x 250	355.6 x 273.0
948/0025x0020	25 x 20	34.0 x 27.2	948/0100x0080	100 x 80	114.3 x 89.1	948/0350x0300	*350 x 300	355.6 x 323.8
948/0032x0015	32 x 15	42.7 x 21.7	948/0100x0090	100 x 90	114.3 x 101.6	948/0400x0150	400 x 150	406.4 x 165.2
948/0032x0020	32 x 20	42.7 x 27.2	948/0125x0050	125 x 50	139.8 x 60.5	948/0400x0200	*400 x 200	406.4 x 219.1
948/0032x0025	32 x 25	42.7 x 34.0	948/0125x0065	125 x 65	139.8 x 76.3	948/0400x0250	*400 x 250	406.4 x 273.0
948/0040x0015	40 x 15	48.6 x 21.7	948/0125x0080	125 x 80	139.8 x 89.1	948/0400x0300	400 x 300	406.4 x 318.5
948/0040x0020	40 x 20	48.6 x 27.2	948/0125x0090	125 x 90	139.8 x 101.6	948/0400x0350	400 x 350	406.4 x 355.6
948/0040x0025	40 x 25	48.6 x 34.0	948/0125x0100	125 x 100	139.8 x 114.3	948/0450x0250	*450 x 250	457.2 x 273.0
948/0040x0032	40 x 32	48.6 x 42.7	948/0150x0065	150 x 65	165.2 x 76.3	948/0450x0300	*450 x 300	457.2 x 323.8
948/0050x0020	50 x 20	60.5 x 27.2	948/0150x0080	150 x 80	165.2 x 89.1	948/0450x0350	450 x 350	457.2 x 355.6
948/0050x0025	50 x 25	60.5 x 34.0	948/0150x0090	150 x 90	165.2 x 101.6	948/0450x0400	450 x 400	457.2 x 406.4
948/0050x0032	50 x 32	60.5 x 42.7	948/0150x0100	150 x 100	165.2 x 114.3	948/0500x0200	*500 x 200	508.0 x 219.1
948/0050x0040	50 x 40	60.5 x 48.6	948/0150x0125	150 x 125	165.2 x 139.8	948/0500x0250	*500 x 250	508.0 x 273.0
948/0065x0025	65 x 25	76.3 x 34.0	948/0200x0080	*200 x 80	219.1 x 89.1	948/0500x0300	*500 x 300	508.0 x 323.8
948/0065x0032	65 x 32	76.3 x 42.7	948/0200x0090	*200 x 90	219.1 x 101.6	948/0500x0350	500 x 350	508.0 x 355.6
948/0065x0040	65 x 40	76.3 x 48.6	948/0200x0100	*200 x 100	219.1 x 114.3	948/0500x0400	500 x 400	508.0 x 406.4
948/0065x0050	65 x 50	76.3 x 60.5	948/0200x0125	*200 x 125	219.1 x 139.8	948/0500x0450	500 x 450	508.0 x 457.2
948/0080x0032	80 x 32	89.1 x 42.7	948/0200x0150	*200 x 150	219.1 x 165.2	948/0550x0350	550 x 350	508.8 x 355.6
948/0080x0040	80 x 40	89.1 x 48.6	948/0250x0100	*250 x 100	273.0 x 114.3	948/0550x0400	550 x 400	558.8 x 406.4
948/0080x0050	80 x 50	89.1 x 60.5	948/0250x0125	*250 x 125	273.0 x 139.8	948/0550x0450	550 x 450	558.8 x 457.2
948/0080x0065	80 x 65	89.1 x 76.3	948/0250x0150	*250 x 150	273.0 x 165.2	948/0550x0500	550 x 500	558.8 x 508.0
948/0090x0032	90 x 32	101.6 x 42.7	948/0250x0200	*250 x 200	273.0 x 219.1	948/0600x0400	600 x 400	609.6 x 406.4
948/0090x0040	90 x 40	101.6 x 48.6	948/0300x0125	*300 x 125	323.8 x 139.8	948/0600x0450	600 x 450	609.6 x 457.2
948/0090x0050	90 x 50	101.6 x 60.5	948/0300x0150	*300 x 150	323.8 x 165.2	948/0600x0500	600 x 500	609.6 x 508.0
948/0090x0065	90 x 65	101.6 x 76.3	948/0300x0200	*300 x 200	323.8 x 219.1	948/0600x0550	600 x 550	609.6 x 558.8
948/0090x0080	90 x 80	101.6 x 89.1	948/0300x0250	*300 x 250	323.8 x 273.0			
948/0100x0040	100 x 40	114.3 x 48.6	948/0350x0150	350 x 150	355.6 x 165.2			

DIMENSIONAL TOLERANCES AND PERMISSIBLE VALUES



ITEM	TYPES OF PIPE FITTINGS	NOMINAL DIAMETER mm					
		15-65	80-100	125-200	250-450	500-600	650-750
		TOLERANCE mm					
Outside diameter at end	All fittings	± 2.0	± 2.5	± 3.5	+5.0 - 4.5	+6.4 - 4.8	
Inside diameter at end face		± 2.0	± 2.5	± 3.5	± 4.5	± 4.8	
Thickness		*not specified -15%					
Bevel angle		See Fig					
Height of root face		See Fig					
Dimensions from centerline to end face	45 ° Elbow 90 ° Elbow	± 2.0		± 3.2			
Overall length	Reducers	± 2.0		± 3.2		± 4.8	
Dimension from centerline to end face	Tees	± 2.0		± 3.2		± 4.8	
Dimensions from back to end face	Caps	± 3.2		± 6.4		-	





**ROBUST
CONSTRUCTION**

FM APPROVED

**PIN HOLE
FREE**



MINGGALV.COM

GROOVED COUPLING



CODE	SIZE mm	PIPE OD mm	LENGTH mm	WIDTH mm	DIAMETER mm	BOLT mm
990/0025	25	33.7	97	45	55	M10x40
990/0032	32	42.4	107.5	45	63.5	M10x45
990/0040	40	48.3	114	45	69	M10x45
990/0050	50	60.3	124	46	83.6	M10x55
990/0065	65	76.1	139	46	98	M10x55
990/0080	80	88.9	156	46	114	M10x55
990/0100	100	114.3	189	50	142	M12x65
990/0125	125	139.7	222	50	170	M12x65
990/0150	150	165.1	244	50	196	M12x65
990/0200	200	219.1	316	60	256	M16x80
990/0250	250	267.4	400	64	313	M20x90
990/0300	300	318.5	464	64	368	M22x110

GROOVED ELBOW 90°



CODE	SIZE mm	PIPE OD mm	LENGTH mm
991/0025	25	33.7	57
991/0032	32	42.4	70
991/0040	40	48.3	70
991/0050	50	60.3	83
991/0065	65	76.1	95
991/0080	80	88.9	108
991/0100	100	114.3	127
991/0125	125	139.7	140
991/0150	150	165.1	165
991/0200	200	219.1	197

GROOVED TEE



CODE	SIZE mm	PIPE OD mm	LENGTH mm
992/0025	25	33.7	57
992/0032	32	42.4	70
992/0040	40	48.3	70
992/0050	50	60.3	84
992/0065	65	76.1	95
992/0080	80	88.9	108
992/0100	100	114.3	127
992/0125	125	139.7	140
992/0150	150	165.1	165
992/0200	200	219.1	197

GROOVED COUPLING GALV



CODE	SIZE mm	PIPE OD mm	LENGTH mm
993/0025	25	33.7	97
993/0032	32	42.4	107.5
993/0040	40	48.3	114
993/0050	50	60.3	124
993/0065	65	76.1	139
993/0080	80	88.9	156
993/0100	100	114.3	189
993/0125	125	139.7	222
993/0150	150	165.1	244
993/0200	200	219.1	316

GROOVED ELBOW 90°



CODE	SIZE mm	PIPE OD mm	LENGTH mm
994/0025	25	33.7	57
994/0032	32	42.4	70
994/0040	40	48.3	70
994/0050	50	60.3	83
994/0065	65	76.1	95
994/0080	80	88.9	108
994/0100	100	114.3	127
994/0125	125	139.7	140
994/0150	150	165.1	165
994/0200	200	219.1	197

GROOVED TEE



CODE	SIZE mm	PIPE OD mm	LENGTH mm
995/0025	25	33.7	57
995/0032	32	42.4	70
995/0040	40	48.3	70
995/0050	50	60.3	84
995/0065	65	76.1	95
995/0080	80	88.9	108
995/0100	100	114.3	127
995/0125	125	139.7	140
995/0150	150	165.1	165
995/0200	200	219.1	197

SPECIFICATIONS

Material	Elongation Break (%)				Tensile Strength (Mpa)				Yield Strength (Mpa)			
	18.1				512				442			
Component Elements (%)	C	Ce	Cr	Cu	Fe	Mg	Mn	Mo	Ni	P	Si	S
	3.800	0.006	0.040	0.150	94.050	0.030	0.160	0.030	0.050	0.020	2.750	0.002
Bolt Property	SWRCH35K											
	Elongation after Break (%)				Tensile Strength (N/mm2)				Yield Strength (N/mm2)			
	20				850				694			



APPROVED



APPROVED

Factory complies with:
ISO 9001:2008
ISO 14001:2004





GOLD MEDAL

QUALITY COMPRESSION FITTINGS

**PROVEN
DURABILITY**

**PERFECT
SEAL**

**EXTRA
GRIP**

GOLDMEDALCOMPRESSION.COM

ELBOW

PN 16



ITEM CODE	METRIC mm
105/0020	20
105/0025	25
105/0032	32
105/0040	40
105/0050	50
105/0063	63
105/0075	75
105/0090	90
105/0110	110

ELBOW MALE

PN 16



ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP
106/0020x0015	20 x 1/2"	106/0050x0032	50 x 1 1/4"
106/0020x0020	20 x 3/4"	106/0050x0040	50 x 1 1/2"
106/0025x0015	25 x 1/2"	106/0050x0050	50 x 2"
106/0025x0020	25 x 3/4"	106/0063x0040	63 x 1 1/2"
106/0025x0025	25 x 1"	106/0063x0050	63 x 2"
106/0032x0015	32 x 1/2"	106/0063x0065	63 x 2 1/2"
106/0032x0020	32 x 3/4"	106/0075x0065	75 x 2 1/2"
106/0032x0025	32 x 1"	106/0075x0080	75 x 3"
106/0032x0032	32 x 1 1/4"	106/0090x0080	90 x 3"
106/0040x0025	40 x 1"	106/0090x0100	90 x 4"
106/0040x0032	40 x 1 1/4"	106/0110x0100	110 x 4"
106/0040x0040	40 x 1 1/2"		

ELBOW FEMALE

PN 16



ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP
107/0020x0015	20 x 1/2"	107/0040x0020	40 x 3/4"	107/0063x0065	63 x 2 1/2"
107/0020x0020	20 x 3/4"	107/0040x0025	40 x 1"	107/0075x0050	75 x 2"
107/0025x0015	25 x 1/2"	107/0040x0032	40 x 1 1/4"	107/0075x0065	75 x 2 1/2"
107/0025x0020	25 x 3/4"	107/0040x0040	40 x 1 1/2"	107/0075x0080	75 x 3"
107/0025x0025	25 x 1"	107/0050x0032	50 x 1 1/4"	107/0090x0080	90 x 3"
107/0032x0015	32 x 1/2"	107/0050x0040	50 x 1 1/2"	107/0090x0100	90 x 4"
107/0032x0020	32 x 3/4"	107/0050x0050	50 x 2"	107/0110x0080	110 x 3"
107/0032x0025	32 x 1"	107/0063x0040	63 x 1 1/2"	107/0110x0100	110 x 4"
107/0032x0032	32 x 1 1/4"	107/0063x0050	63 x 2"		

TEE

PN 16



ITEM CODE	METRIC mm
108/0020	20
108/0025	25
108/0032	32
108/0040	40
108/0050	50
108/0063	63
108/0075	75
108/0090	90
108/0110	110

TEE MALE

PN 16



ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP
109/0020x0015	20 x 1/2"	109/0050x0032	50 x 1 1/4"
109/0020x0020	20 x 3/4"	109/0050x0040	50 x 1 1/2"
109/0025x0015	25 x 1/2"	109/0050x0050	50 x 2"
109/0025x0020	25 x 3/4"	109/0063x0040	63 x 1 1/2"
109/0025x0025	25 x 1"	109/0063x0050	63 x 2"
109/0032x0015	32 x 1/2"	109/0063x0065	63 x 2 1/2"
109/0032x0020	32 x 3/4"	109/0075x0065	75 x 2 1/2"
109/0032x0025	32 x 1"	109/0075x0080	75 x 3"
109/0032x0032	32 x 1 1/4"	109/0090x0080	90 x 3"
109/0040x0025	40 x 1"	109/0090x0100	90 x 4"
109/0040x0032	40 x 1 1/4"	109/0110x0100	110 x 4"
109/0040x0040	40 x 1 1/2"		

TEE FEMALE

PN 16



ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP
110/0020x0015	20 x 1/2"	110/0040x0032	40 x 1 1/4"	110/0075x0050	75 x 2"
110/0020x0020	20 x 3/4"	110/0040x0040	40 x 1 1/2"	110/0075x0065	75 x 2 1/2"
110/0025x0015	25 x 1/2"	110/0050x0015	50 x 1/2"	110/0075x0080	75 x 3"
110/0025x0020	25 x 3/4"	110/0050x0032	50 x 1 1/4"	110/0090x0065	90 x 2 1/2"
110/0025x0025	25 x 1"	110/0050x0040	50 x 1 1/2"	110/0090x0080	90 x 3"
110/0032x0015	32 x 1/2"	110/0050x0050	50 x 2"	110/0090x0100	90 x 4"
110/0032x0020	32 x 3/4"	110/0063x0032	63 x 1 1/4"	110/0110x0080	110 x 3"
110/0032x0025	32 x 1"	110/0063x0040	63 x 1 1/2"	110/0110x0100	110 x 4"
110/0032x0032	32 x 1 1/4"	110/0063x0050	63 x 2"		
110/0040x0025	40 x 1"	110/0063x0065	63 x 2 1/2"		



TEE REDUCING

PN 16



ITEM CODE	METRIC mm	ITEM CODE	METRIC mm
113/0025x0020	25 × 20	113/0063x0025	63 × 25
113/0032x0020	32 × 20	113/0063x0032	63 × 32
113/0032x0025	32 × 25	113/0063x0040	63 × 40
113/0040x0025	40 × 25	113/0063x0050	63 × 50
113/0040x0032	40 × 32	113/0075x0063	75 × 63
113/0050x0025	50 × 25	113/0090x0063	90 × 63
113/0050x0032	50 × 32	113/0090x0075	90 × 75
113/0050x0040	50 × 40	113/0110x0090	110 × 90

END CAP

PN 16



ITEM CODE	METRIC mm
104/0020	20
104/0025	25
104/0032	32
104/0040	40
104/0050	50
104/0063	63
104/0075	75
104/0090	90
104/0110	110

COUPLING

PN 16



ITEM CODE	METRIC mm
100/0020	20
100/0025	25
100/0032	32
100/0040	40
100/0050	50
100/0063	63
100/0075	75
100/0090	90
100/0110	110

COUPLING REDUCING

PN 16



ITEM CODE	METRIC mm	ITEM CODE	METRIC mm
101/0025x0020	25 × 20	101/0063x0032	63 × 32
101/0032x0020	32 × 20	101/0063x0040	63 × 40
101/0032x0025	32 × 25	101/0063x0050	63 × 50
101/0040x0025	40 × 25	101/0075x0050	75 × 50
101/0040x0032	40 × 32	101/0075x0063	75 × 63
101/0050x0025	50 × 25	101/0090x0063	90 × 63
101/0050x0032	50 × 32	101/0090x0075	90 × 75
101/0050x0040	50 × 40	101/0110x0090	110 × 90
101/0063x0025	63 × 25		

ADAPTOR MALE

PN 16



ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP
102/0020x0015	20 x 1/2"	102/0040x0032	40 x 1 1/4"	102/0075x0050	75 x 2"
102/0020x0020	20 x 3/4"	102/0040x0040	40 x 1 1/2"	102/0075x0065	75 x 2 1/2"
102/0020x0025	20 x 1"	102/0040x0050	40 x 2"	102/0075x0080	75 x 3"
102/0025x0015	25 x 1/2"	102/0050x0025	50 x 1"	102/0090x0050	90 x 2"
102/0025x0020	25 x 3/4"	102/0050x0032	50 x 1 1/4"	102/0090x0065	90 x 2 1/2"
102/0025x0025	25 x 1"	102/0050x0040	50 x 1 1/2"	102/0090x0080	90 x 3"
102/0032x0015	32 x 1/2"	102/0050x0050	50 x 2"	102/0090x0100	90 x 4"
102/0032x0020	32 x 3/4"	102/0063x0032	63 x 1 1/4"	102/0110x0050	110 x 2"
102/0032x0025	32 x 1"	102/0063x0040	63 x 1 1/2"	102/0110x0080	110 x 3"
102/0032x0032	32 x 1 1/4"	102/0063x0050	63 x 2"	102/0110x0100	110 x 4"
102/0040x0025	40 x 1"	102/0063x0065	63 x 2 1/2"		

ADAPTOR FEMALE

PN 16



ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP	ITEM CODE	METRIC mm x BSP
103/0020x0015	20 x 1/2"	103/0040x0025	40 x 1"	103/0075x0050	75 x 2"
103/0020x0020	20 x 3/4"	103/0040x0032	40 x 1 1/4"	103/0075x0065	75 x 2 1/2"
103/0020x0025	20 x 1"	103/0040x0040	40 x 1 1/2"	103/0075x0080	75 x 3"
103/0025x0015	25 x 1/2"	103/0050x0032	50 x 1 1/4"	103/0090x0050	90 x 2"
103/0025x0020	25 x 3/4"	103/0050x0040	50 x 1 1/2"	103/0090x0065	90 x 2 1/2"
103/0025x0025	25 x 1"	103/0050x0050	50 x 2"	103/0090x0080	90 x 3"
103/0032x0015	32 x 1/2"	103/0063x0032	63 x 1 1/4"	103/0090x0100	90 x 4"
103/0032x0020	32 x 3/4"	103/0063x0040	63 x 1 1/2"	103/0110x0080	110 x 3"
103/0032x0025	32 x 1"	103/0063x0050	63 x 2"	103/0110x0100	110 x 4"
103/0032x0032	32 x 1 1/4"	103/0063x0065	63 x 2 1/2"		

DOUBLE UNION BALL VALVE

PN 16



ITEM CODE	METRIC mm
115/0020	20
115/0025	25
115/0032	32
115/0040	40
115/0050	50
115/0063	63

MALE SINGLE UNION BALL VALVE

PN 16



ITEM CODE	METRIC mm x BSP
122/0020x0015	20 x 15
122/0025x0020	25 x 20
122/0032x0025	32 x 25
122/0040x0032	40 x 32
122/0050x0040	50 x 40
122/0063x0050	63 x 50

FEMALE SINGLE UNION BALL VALVE

PN 16



ITEM CODE	METRIC mm x BSP
121/0020x0015	20 x 1/2"
121/0025x0020	25 x 3/4"
121/0032x0025	32 x 1"
121/0040x0032	40 x 1 1/4"
121/0050x0040	50 x 1 1/2"
121/0063x0050	63 x 2"

CLAMP SADDLE WITHOUT REINFORCING RING

PN 6



ITEM CODE	METRIC mm x BSP
112/0025x0015	25 x 1/2"
112/0025x0020	25 x 3/4"
112/0032x0015	32 x 1/2"
112/0032x0020	32 x 3/4"
112/0032x0025	32 x 1"
112/0040x0015	40 x 1/2"
112/0040x0020	40 x 3/4"
112/0040x0025	40 x 1"
112/0050x0015	50 x 1/2"
112/0050x0020	50 x 3/4"
112/0050x0025	50 x 1"
112/0050x0032	50 x 1 1/4"
112/0063x0015	63 x 1/2"
112/0063x0020	63 x 3/4"
112/0063x0025	63 x 1"
112/0063x0032	63 x 1 1/4"
112/0063x0040	63 x 1 1/2"
112/0075x0015	75 x 1/2"
112/0075x0020	75 x 3/4"
112/0075x0025	75 x 1"
112/0075x0032	75 x 1 1/4"
112/0075x0040	75 x 1 1/2"
112/0075x0050	75 x 2"
112/0090x0015	90 x 1/2"
112/0090x0020	90 x 3/4"
112/0090x0025	90 x 1"
112/0090x0032	90 x 1 1/4"
112/0090x0040	90 x 1 1/2"
112/0090x0050	90 x 2"
112/0110x0015	110 x 1/2"
112/0110x0020	110 x 3/4"
112/0110x0025	110 x 1"
112/0110x0032	110 x 1 1/4"
112/0110x0040	110 x 1 1/2"
112/0110x0050	110 x 2"
112/0125x0015	125 x 1/2"
112/0125x0020	125 x 3/4"
112/0125x0025	125 x 1"
112/0125x0032	125 x 1 1/4"
112/0125x0040	125 x 1 1/2"
112/0125x0050	125 x 2"
112/0125x0080	125 x 3"
112/0160x0025	160 x 1"
112/0160x0050	160 x 2"
112/0200x0050	200 x 2"

CLAMP SADDLE WITH REINFORCING RING

PN 10



ITEM CODE	METRIC mm x BSP
111/0025x0015	25 x 1/2"
111/0025x0020	25 x 3/4"
111/0032x0015	32 x 1/2"
111/0032x0020	32 x 3/4"
111/0032x0025	32 x 1"
111/0040x0015	40 x 1/2"
111/0040x0020	40 x 3/4"
111/0040x0025	40 x 1"
111/0050x0015	50 x 1/2"
111/0050x0020	50 x 3/4"
111/0050x0025	50 x 1"
111/0050x0032	50 x 1 1/4"
111/0063x0015	63 x 1/2"
111/0063x0020	63 x 3/4"
111/0063x0025	63 x 1"
111/0063x0032	63 x 1 1/4"
111/0063x0040	63 x 1 1/2"
111/0075x0015	75 x 1/2"
111/0075x0020	75 x 3/4"
111/0075x0025	75 x 1"
111/0075x0032	75 x 1 1/4"
111/0075x0040	75 x 1 1/2"
111/0075x0050	75 x 2"
111/0090x0015	90 x 1/2"
111/0090x0020	90 x 3/4"
111/0090x0025	90 x 1"
111/0090x0032	90 x 1 1/4"
111/0090x0040	90 x 1 1/2"
111/0090x0050	90 x 2"
111/0110x0015	110 x 1/2"
111/0110x0020	110 x 3/4"
111/0110x0025	110 x 1"
111/0110x0032	110 x 1 1/4"
111/0110x0040	110 x 1 1/2"
111/0110x0050	110 x 2"
111/0125x0015	125 x 1/2"
111/0125x0020	125 x 3/4"
111/0125x0025	125 x 1"
111/0125x0032	125 x 1 1/4"
111/0125x0040	125 x 1 1/2"
111/0125x0050	125 x 2"
111/0125x0080	125 x 3"
111/0160x0025	160 x 1"
111/0160x0050	160 x 2"
111/0200x0050	200 x 2"

CLAMP SADDLE WITH REINFORCING RING PN16

PN 16




ITEM CODE	METRIC mm x BSP
114/0020x0015	20 x 1/2"
114/0025x0015	25 x 1/2"
114/0025x0020	25 x 3/4"
114/0032x0020	32 x 3/4"
114/0040x0015	40 x 1/2"
114/0040x0020	40 x 3/4"
114/0040x0025	40 x 1"
114/0050x0015	50 x 1/2"
114/0050x0020	50 x 3/4"
114/0050x0025	50 x 1"
114/0063x0015	63 x 1/2"
114/0063x0020	63 x 3/4"
114/0063x0025	63 x 1"
114/0063x0032	63 x 1 1/4"
114/0063x0040	63 x 1 1/2"
114/0075x0015	75 x 1/2"
114/0075x0020	75 x 3/4"
114/0075x0025	75 x 1"
114/0075x0032	75 x 1 1/4"
114/0075x0040	75 x 1 1/2"
114/0075x0050	75 x 2"
114/0090x0015	90 x 1/2"
114/0090x0020	90 x 3/4"
114/0090x0025	90 x 1"
114/0090x0032	90 x 1 1/4"
114/0090x0040	90 x 1 1/2"
114/0090x0050	90 x 2"
114/0110x0015	110 x 1/2"
114/0110x0020	110 x 3/4"
114/0110x0025	110 x 1"
114/0110x0032	110 x 1 1/4"
114/0110x0040	110 x 1 1/2"
114/0110x0050	110 x 2"

COMPRESSION FLANGE ADAPTOR

PN 10



ITEM CODE	METRIC mm
120/0040x0040	40 x 40
120/0050x0040	50 x 40
120/0050x0050	50 x 50
120/0063x0050	63 x 50
120/0063x0065	63 x 65
120/0075x0065	75 x 65
120/0075x0080	75 x 80
120/0090x0080	90 x 80
120/0090x0100	90 x 100
120/0110x0100	110 x 100



**EXTRA
STRENGTH**

**PROVEN
DURABILITY**

**SUN
RESISTANT**



TOMMYVALVE.COM

BALL VALVE COMPACT THREADED

Max Working Pressure 10 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
601/0015	½"	15
601/0020	¾"	20
601/0025	1"	25
601/0032	1¼"	32
601/0040	1½"	40
601/0050	2"	50
601/0065	2½"	65
601/0080	3"	80
601/0100	4"	100

BALL VALVE S/U THREADED

Max Working Pressure 10 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
602/0015	½"	15
602/0020	¾"	20
602/0025	1"	25
602/0032	1¼"	32
602/0040	1½"	40
602/0050	2"	50
602/0065	2½"	65
602/0080	3"	80
602/0100	4"	100

BALL VALVE COMPACT SOLVENT WELD

Max Working Pressure 10 Bar - Max Temperature 50°



ITEM CODE	METRIC mm
609/0020	20
609/0025	25
609/0032	32
609/0040	40
609/0050	50
609/0063	63
609/0075	75
609/0090	90
609/0110	110

BALL VALVE S/U SOLVENT WELD

Max Working Pressure 10 Bar - Max Temperature 50°



ITEM CODE	METRIC mm
604/0020	20
604/0025	25
604/0032	32
604/0040	40
604/0050	50
604/0063	63
604/0075	75
604/0090	90
604/0110	110

CHECK VALVE S/U THREADED

Max Working Pressure 10 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
608/0015	½"	15
608/0020	¾"	20
608/0025	1"	25
608/0032	1¼"	32
608/0040	1½"	40
608/0050	2"	50

CHECK VALVE S/U SOLVENT WELD

Max Working Pressure 10 Bar - Max Temperature 50°



ITEM CODE	METRIC mm
607/0020	20
607/0025	25
607/0032	32
607/0040	40
607/0050	50
607/0063	63

AUTOMATIC AIR & VACUUM RELIEF VALVE

Max Working Pressure 10 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
615/0025	1"	25

AUTOMATIC AIR & VACUUM RELIEF VALVE

Max Working Pressure 15 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
616/0050	2"	50

INLINE FILTER SPARE SCREEN SS 130 MICRON

Max Working Pressure 15 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
617A/0020-130	¾" - 1"	20-25
617A/0050-130	1¼" - 2"	32-50

FILTER T INLINE 130 MICRON SS SCREEN MALE

Max Working Pressure 8 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
617/0020	¾"	20
617/0025	1"	25
617/0032	1¼"	32
617/0040	1½"	40
617/0050	2"	50

LEVEL CONTROL PLASTIC FLOAT VALVE

Max Working Pressure 10 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
618/0015	½"	15
618/0020	¾"	20
618/0025	1"	25

INLINE FILTER SPARE DISK SCREEN

Max Working Pressure 15 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
617B/0020-130	¾" - 1"	20-25
617B/0050-130	1¼" - 2"	32-50

PLASTIC FLOAT VALVE HIGH CAPACITY

Min Working Pressure 1 Bar - Max Working Pressure 6 Bar



ITEM CODE	BSP	METRIC mm
613/0015	½"	15
613/0020	¾"	20
613/0025	1"	25
613/0032	1¼"	32
613/0040	1½"	40
613/0050	2"	50
613/0065	2½"	65

PLASTIC FLOAT VALVE MINI

Min Working Pressure 1 Bar - Max Working Pressure 6 Bar



ITEM CODE	BSP	METRIC mm
614/0015	½"	15

FULL FLOW PLASTIC FLOAT VALVE SS ARM

Min Working Pressure 1 Bar - Max Working Pressure 6 Bar



ITEM CODE	BSP	METRIC mm
613B/0020	¾"	20

CONTAINER TAP

Max Working Pressure 6 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
072/0015	½"	15
072/0020	¾"	20

CROSS HANDLE TAP

Max Working Pressure 6 Bar - Max Temperature 50°





ITEM CODE	BSP	METRIC mm
073/0015	½"	15
073/0020	¾"	20

ABS BROWN TAP

Max Working Pressure 6 Bar - Max Temperature 50°



ITEM CODE	BSP	METRIC mm
077/0015	½"	15
077/0020	¾"	20



**EXTRA
STRENGTH**

**PROVEN
DURABILITY**

**SUN
RESISTANT**



TOMMYVALVE.COM

FILTER HOUSING

Spanner and Bracket Included

Spare O Rings available



ITEM CODE	FILTER HOUSING
620/0020	10"

JUMBO HOUSING

Spanner and Bracket Included

Spare O Rings available



ITEM CODE	FILTER HOUSING
620/0025	20" (JUMBO)

NEW

10" JUMBO HOUSING

Spanner and Bracket Included

Spare O Rings available



ITEM CODE	FILTER HOUSING
630/0025	10" (JUMBO)

NEW

FILTER HOUSING (SLIMLINE)

Spanner and Bracket Included

Spare O Rings available



ITEM CODE	FILTER HOUSING
635/0025	20" (SLIMLINE)

NEW

SILIPHOS CARTRIDGE




ITEM CODE	FILTER HOUSING
626/10"SILIPHOS	10"
626/20"SILIPHOS	20" (JUMBO)

ROPE CARTRIDGE



ITEM CODE	FILTER HOUSING
622/10"STRING	10"
622/20"STRING	20" (JUMBO)
632/10"STRING	10" (JUMBO)
639/20"STRING	20" (SLIMLINE)

BLOCK CARBON CARTRIDGE



ITEM CODE	FILTER HOUSING
623/10"CARBON	10"
623/20"CARBON	20" (JUMBO)
633/10"CARBON	10" (JUMBO)
638/20"CARBON	20" (SLIMLINE)

GRANULAR CARBON CARTRIDGE



ITEM CODE	FILTER HOUSING
624/10"GRANULAR	10"
624/20"GRANULAR	20" (JUMBO)
634/10"GRANULAR	10" (JUMBO)
637/20"GRANULAR	20" (SLIMLINE)

PP SEDIMENT



ITEM CODE	FILTER HOUSING	MIC	ITEM CODE	FILTER HOUSING	MIC
621/10"SPUN1MIC	10"	1	631/10"SPUN1MIC	10" (JUMBO)	1
621/10"SPUN	10"	5	631/10"SPUN5MIC	10" (JUMBO)	5
621/10"SPUN10MIC	10"	10	631/10"SPUN10MIC	10" (JUMBO)	10
621/10"SPUN20MIC	10"	20	631/10"SPUN20MIC	10" (JUMBO)	20
621/20"SPUN1MIC	20" (JUMBO)	1	636/20"SPUN1MIC	20" (SLIMLINE)	1
621/20"SPUN	20" (JUMBO)	5	636/20"SPUN5MIC	20" (SLIMLINE)	5
621/20"SPUN10MIC	20" (JUMBO)	10	636/20"SPUN10MIC	20" (SLIMLINE)	10
621/20"SPUN20MIC	20" (JUMBO)	20	636/20"SPUN20MIC	20" (SLIMLINE)	20

NEW

304 SS BRACKET

Spanner Included

Spare O Rings available



ITEM CODE	FILTER HOUSING
627/0020 SS BRACKET	20" (JUMBO)

NEW

304 SS STAND

Spanner Included

Spare O Rings available



ITEM CODE	FILTER HOUSING
628/0020 SS STAND	20" (JUMBO)

NEW

COUNTER TOP FILTER

Spanner and Cartridge Included

Spare O Rings available



ITEM CODE	FILTER HOUSING
629/CT-FILTER	10"



**EXTRA
STRENGTH**

**PROVEN
DURABILITY**

**SUN
RESISTANT**

TOMMYVALVE.COM

ELBOW 90°

PN 16 uPVC



ITEM CODE	METRIC mm
040/0020	20
040/0025	25
040/0032	32
040/0040	40
040/0050	50
040/0063	63
040/0075	75
040/0090	90
040/0110	110
040/0160	160
040/0200	200
040/0250	250

ELBOW 90° FEMALE

PN 16 uPVC



ITEM CODE	METRIC mm x BSP
042/0020x0015	20 x ½"
042/0025x0015	25 x ½"
042/0025x0020	25 x ¾"
042/0032x0015	32 x ½"
042/0032x0020	32 x ¾"
042/0032x0025	32 x 1"
042/0040x0032	40 x 1½"
042/0050x0040	50 x 1½"
042/0063x0050	63 x 2"
042/0075x0065	75 x 2½"
042/0090x0080	90 x 3"
042/0110x0100	110 x 4"

ELBOW 45°


PN 16 uPVC



ITEM CODE	METRIC mm
049/0020	20
049/0025	25
049/0032	32
049/0040	40
049/0050	50
049/0063	63
049/0075	75
049/0090	90
049/0110	110
049/0160	160

SOCKET


PN 16 uPVC



ITEM CODE	METRIC mm
041/0020	20
041/0025	25
041/0032	32
041/0040	40
041/0050	50
041/0063	63
041/0075	75
041/0090	90
041/0110	110
041/0160	160
041/0200	200
041/0250	250

TEE


PN 16 uPVC



ITEM CODE	METRIC mm
046/0020	20
046/0025	25
046/0032	32
046/0040	40
046/0050	50
046/0063	63
046/0075	75
046/0090	90
046/0110	110
046/0160	160
046/0200	200
046/0250	250

TEE FEMALE


PN 16 uPVC



ITEM CODE	METRIC mm x BSP
019/0020x0015	20 x ½"
019/0025x0015	25 x ½"
019/0025x0020	25 x ¾"
019/0032x0015	32 x ½"
019/0032x0020	32 x ¾"
019/0032x0025	32 x 1"
019/0040x0032	40 x 1½"
019/0050x0040	50 x 1½"
019/0063x0050	63 x 2"
019/0075x0065	75 x 2½"
019/0090x0080	90 x 3"
019/0110x0100	110 x 4"

TEE REDUCING


PN 16 uPVC



ITEM CODE	METRIC mm
036/0025x0020	25 x 20
036/0032x0020	32 x 20
036/0032x0025	32 x 25
036/0040x0020	40 x 20
036/0040x0025	40 x 25
036/0040x0032	40 x 32
036/0050x0020	50 x 20
036/0050x0025	50 x 25
036/0050x0032	50 x 32
036/0050x0040	50 x 40
036/0063x0025	63 x 25
036/0063x0032	63 x 32
036/0063x0040	63 x 40
036/0063x0050	63 x 50
036/0075x0040	75 x 40
036/0075x0050	75 x 50
036/0075x0063	75 x 63
036/0090x0040	90 x 40
036/0090x0063	90 x 63
036/0090x0075	90 x 75
036/0110x0063	110 x 63
036/0110x0075	110 x 75
036/0110x0090	110 x 90
036/0160x0110	160 x 110

BUSH REDUCING

PN 16 uPVC



ITEM CODE	METRIC mm
038/0025x0020	25 x 20
038/0032x0020	32 x 20
038/0032x0025	32 x 25
038/0040x0020	40 x 20
038/0040x0025	40 x 25
038/0040x0032	40 x 32
038/0050x0020	50 x 20
038/0050x0025	50 x 25
038/0050x0032	50 x 32
038/0050x0040	50 x 40
038/0063x0025	63 x 25
038/0063x0032	63 x 32
038/0063x0040	63 x 40
038/0063x0050	63 x 50
038/0075x0040	75 x 40
038/0075x0050	75 x 50
038/0075x0063	75 x 63
038/0090x0050	90 x 50
038/0090x0063	90 x 63
038/0090x0075	90 x 75
038/0110x0063	110 x 63
038/0110x0075	110 x 75
038/0110x0090	110 x 90
038/0160x0090	160 x 90
038/0160x0110	160 x 110

NEW

CROSS

PN 16 uPVC



ITEM CODE	METRIC mm
017/0020	20
017/0025	25
017/0032	32
017/0040	40
017/0050	50
017/0063	63
017/0075	75
017/0090	90
017/0110	110
017/0160	160

UNION

PN 16 uPVC



ITEM CODE	METRIC mm
047/0020	20
047/0025	25
047/0032	32
047/0040	40
047/0050	50
047/0063	63
047/0075	75
047/0090	90
047/0110	110

PIPE CLIP

uPVC



ITEM CODE	METRIC mm
044/0020	20
044/0025	25
044/0032	32
044/0040	40
044/0050	50

SOLVENT WELD FLANGE ADAPTOR

PN 10 uPVC



ITEM CODE	METRIC mm
037/0020	20
037/0025	25
037/0032	32
037/0040	40
037/0050	50
037/0063	63
037/0075	75
037/0090	90
037/0110	110

SOCKET REDUCING

PN 16 uPVC



ITEM CODE	METRIC mm	ITEM CODE	METRIC mm
035/0025x0020	25 x 20	035/0063x0050	63 x 50
035/0032x0020	32 x 20	035/0075x0040	75 x 40
035/0032x0025	32 x 25	035/0075x0050	75 x 50
035/0040x0020	40 x 20	035/0075x0063	75 x 63
035/0040x0025	40 x 25	035/0090x0040	90 x 40
035/0040x0032	40 x 32	035/0090x0050	90 x 50
035/0050x0020	50 x 20	035/0090x0063	90 x 63
035/0050x0025	50 x 25	035/0090x0075	90 x 75
035/0050x0032	50 x 32	035/0110x0063	110 x 63
035/0050x0040	50 x 40	035/0110x0075	110 x 75
035/0063x0025	63 x 25	035/0110x0090	110 x 90
035/0063x0032	63 x 32	035/0160x0110	160 x 110
035/0063x0040	63 x 40		

CAP

PN 16 uPVC



ITEM CODE	METRIC mm
045/0020	20
045/0025	25
045/0032	32
045/0040	40
045/0050	50
045/0063	63
045/0075	75
045/0090	90
045/0110	110
045/0160	160
045/0200	200

BAILEY PVC SOLVENT CEMENT



ITEM CODE	SIZE ml
074/0118ml	118ml HP Weld
074/237ml	237ml HP Weld
074/473ml	473ml HP Weld

STUB

PN 10 uPVC



ITEM CODE	METRIC mm
039/0063	63
039/0075	75
039/0090	90
039/0110	110
039/0160	160
039/0200	200
039/0250	250
039/0315	315

TABLE D BACKING RING

Galvanised



ITEM CODE	METRIC mm
938/0063	63
938/0075	75
938/0090	90
938/0110	110
938/0125	125
938/0140	140
938/0160	160
938/0200	200
938/0250	250
938/0315	315

FEMALE THREAD ELBOW Fx F

PN 16 uPVC



ITEM CODE	BSP	METRIC mm
010/0015	½"	15
010/0020	¾"	20
010/0025	1"	25
010/0032	1¼"	32
010/0040	1½"	40
010/0050	2"	50

FEMALE THREAD COUPLING Fx F

PN 16 uPVC



ITEM CODE	BSP	METRIC mm
011/0015	½"	15
011/0020	¾"	20
011/0025	1"	25
011/0032	1¼"	32
011/0040	1½"	40
011/0050	2"	50

FEMALE THREADED UNION

PN 16 uPVC



ITEM CODE	BSP	METRIC mm
016/0015	½"	15
016/0020	¾"	20
016/0025	1"	25
016/0032	1¼"	32
016/0040	1½"	40
016/0050	2"	50

FEMALE THREAD TEE Fx Fx F

PN 16 uPVC



ITEM CODE	BSP	METRIC mm
012/0015	½"	15
012/0020	¾"	20
012/0025	1"	25
012/0032	1¼"	32
012/0040	1½"	40
012/0050	2"	50

THREADED PLUG

PN 16 uPVC



ITEM CODE	BSP	METRIC mm
014/0015	½"	15
014/0020	¾"	20
014/0025	1"	25
014/0032	1¼"	32
014/0040	1½"	40
014/0050	2"	50

NIPPLE Mx M

PN 16 uPVC



ITEM CODE	BSP	METRIC mm
013/0015	½"	15
013/0020	¾"	20
013/0025	1"	25
013/0032	1¼"	32
013/0040	1½"	40
013/0050	2"	50

ADAPTOR FEMALE

PN 16 uPVC



ITEM CODE	METRIC mm x BSP
043/0020x0015	20 x ½"
043/0025x0020	25 x ¾"
043/0032x0025	32 x 1"
043/0040x0032	40 x 1¼"
043/0050x0040	50 x 1½"
043/0063x0050	63 x 2"
043/0075x0065	75 x 2½"
043/0090x0080	90 x 3"
043/0110x0100	110 x 4"

ADAPTOR MALE

PN 16 uPVC



ITEM CODE	METRIC mm x BSP
048/0020x0015	20 x ½"
048/0020x0020	20 x ¾"
048/0025x0020x0015	25 x 20 x ½"
048/0025x0020x0020	25 x 20 x ¾"
048/0025x0020	25 x ¾"
048/0025x0025	25 x 1"
048/0032x0025x0020	32 x 25 x ¾"
048/0032x0025	32 x 1"
048/0032x0025x0025	32 x 25 x 1"
048/0032x0032	32 x 1¼"
048/0040x0032x0025	40 x 32 x 1"
048/0040x0032x0032	40 x 32 x 1¼"
048/0040x0032	40 x 1¼"
048/0040x0040	40 x 1½"
048/0050x0040x0025	50 x 40 x 1"
048/0050x0040x0032	50 x 40 x 1¼"
048/0050x0040	50 x 1½"
048/0050x0040x0040	50 x 40 x 1½"
048/0063x0050x0040	63 x 50 x 1½"
048/0063x0050	63 x 2"
048/0063x0050x0050	63 x 50 x 2"
048/0075x0063x0050	75 x 63 x 2"
048/0075x0065	75 x 2½"
048/0090x0075x0050	90 x 75 x 2"
048/0090x0080	90 x 3"
048/0110x0090x0080	110 x 90 x 3"
048/0110x0100	110 x 4"
048/0110x0125x0080	110 x 125 x 3"
048/0125x0110x0080	125 x 110 x 3"
048/0125x0110x0100	125 x 110 x 4"

MALE HOSE CONNECTOR



ITEM CODE	BSP	METRIC mm
220/0020	¾"	20

REDUCER Mx F

PN 16 uPVC



ITEM CODE	BSP	METRIC mm
015/0020x0015	¾" x ½"	20 x 15
015/0025x0015	1 x ½"	25 x 15
015/0025x0020	1 x ¾"	25 x 20
015/0032x0020	1¼" x ¾"	32 x 20
015/0032x0025	1¼" x 1"	32 x 25
015/0040x0020	1½" x ¾"	40 x 20
015/0040x0025	1½" x 1"	40 x 25
015/0040x0032	1½" x 1¼"	40 x 32
015/0050x0025	2" x 1"	50 x 25
015/0050x0032	2" x 1¼"	50 x 32
015/0050x0040	2" x 1½"	50 x 40

FEMALE HOSE CONNECTOR



ITEM CODE	BSP	METRIC mm
221/0020	¾"	20



**LONGER
LIFE**

**PERFECT
SEAL**

**EXTRA
STRENGTH**



TOMMYTANKS.COM

BLACK TANK CONNECTOR COMPACT LEFT HAND THREAD

Material: Fibreglass Reinforced Polypropylene Gasket - EPDM+PP Composite



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
061/0040	1½" FEMALE	32mm	86mm

GREY TANK CONNECTOR COMPACT LEFT HAND THREAD

Material: Fibreglass Reinforced Polypropylene Gasket - EPDM+PP Composite



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
060/0015	½" FEMALE	20mm	54mm
060/0020	¾" FEMALE	20mm	54mm
060/0040	1½" FEMALE	32mm	86mm

BLACK TANK CONNECTOR HEAVY DUTY LEFT HAND TIGHTENING

Material: Fibreglass Reinforced Polypropylene Gasket - EPDM+PP Composite



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
056/0040x0025	1½" MALE x 1" FEMALE	33mm	86mm
056/0040	1½" MALE x PLAIN	33mm	86mm
056/0050x0040	2" MALE x 1½" FEMALE	33mm	86mm
056/0080	3" MALE x PLAIN (GREY)	25mm	120mm

BLACK TANK CONNECTOR HEAVY DUTY

Material: Fibreglass Reinforced Polypropylene Gasket - EPDM+PP Composite



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
054/0050x0040	2" MALE x 1½" FEMALE	60mm	86mm

BLACK BUSH REDUCING

Material: Fibreglass Reinforced Polypropylene



ITEM CODE	BSP	THREAD LENGTH
034/0040x0020	1½" MALE x ¾" FEMALE	28mm

GREY BUSH REDUCING

Material: Fibreglass Reinforced Polypropylene



ITEM CODE	BSP	THREAD LENGTH
062/0040x0020	1½" MALE x ¾" FEMALE	28mm

BLACK BUSH REDUCING HEAVY DUTY

Material: Fibreglass Reinforced Polypropylene



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
057/0050x0040	2" MALE x 1½" FEMALE	25mm	70mm

GREY BUSH REDUCING HEAVY DUTY

Material: Fibreglass Reinforced Polypropylene



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
062/0050x0040	2" MALE x 1½" FEMALE	25mm	70mm

BLACK TANK CONNECTOR SHORT SERIES

Material: Polypropylene / UV Stabilised ABS



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
050/0015	½"	40mm	41mm
050/0020	¾"	40mm	48mm
050/0025	1"	50mm	55mm
050/0032	1¼"	48mm	65mm
050/0040	1½"	47mm	71mm
050/0050	2"	46mm	86mm

BLACK TANK CONNECTOR STANDARD SERIES

Material: UV Stabilised ABS



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
051/0015	½"	80mm	41mm
051/0020	¾"	80mm	48mm
051/0025	1"	80mm	55mm
051/0032	1¼"	78mm	65mm
051/0040	1½"	77mm	71mm
051/0050	2"	76mm	86mm

BLACK TANK CONNECTOR LONG SERIES

Material: UV Stabilised ABS



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
052/0015	½"	110mm	41mm
052/0020	¾"	110mm	48mm
052/0025	1"	110mm	55mm
052/0032	1¼"	108mm	65mm
052/0040	1½"	107mm	71mm
052/0050	2"	106mm	86mm

BLACK TANK CONNECTOR MALE THREAD

Material: UV Stabilised ABS



ITEM CODE	BSP	THREAD LENGTH	FLANGE DIAM.
053/0015	½"	97mm	41mm
053/0020	¾"	94mm	48mm
053/0025	1"	90mm	55mm
053/0032	1¼"	90mm	65mm
053/0040	1½"	88mm	71mm
053/0050	2"	88mm	86mm

TOMMY OUTLET HD MxF THREADED

Material: UV Stabilised ABS



ITEM CODE	BSP	THREAD LENGTH	METRIC mm
056HD/0015	½" MALE x ½" FEMALE	45mm	15 x 15
056HD/0020	¾" MALE x ¾" FEMALE	46mm	20 x 20
056HD/0025	1" MALE x 1" FEMALE	55mm	25 x 25
056HD/0032	1¼" MALE x 1¼" FEMALE	70mm	32 x 32
056HD/0040	1½" MALE x 1½" FEMALE	85mm	40 x 40
056HD/0050	2" MALE x 2" FEMALE	110mm	50 x 50
056HD/0080	3" MALE x 3" FEMALE	120mm	80 x 80

BLACK LONG SCREW PARALLEL THREAD

Material: UV Stabilized ABS Thread Length 120mm



ITEM CODE	BSP	METRIC mm
027/0015	½"	15
027/0020	¾"	20
027/0025	1"	25
027/0032	1¼"	32
027/0040	1½"	40
027/0050	2"	50

BLACK BACK NUT ACID RESISTING

Material: UV Stabilized ABS



ITEM CODE	BSP	METRIC mm
029/0015	½"	15
029/0020	¾"	20
029/0025	1"	25
029/0032	1¼"	32
029/0040	1½"	40
029/0050	2"	50

GASKET ACID RESISTING NEOPRENE



ITEM CODE	METRIC mm
059/0015	15
059/0020	20
059/0025	25
059/0032	32
059/0040	40
059/0050	50



TOMMY® “CAMEL” GASKET SEALING SYSTEM

Two embedded O-rings, spaced 10mm apart, create two independent concentric barriers between the fitting and tank wall.

The resultant sealing force (pressure) is considerably higher as the contact area is smaller (pressure=force/area) when compared to a normal gasket.

The flexible nature of the O-ring material as well as the “double rib”, accommodates any imperfections on the sealing surfaces.

GASKET SPARE

Material: EPDM+PP Composite



ITEM CODE	METRIC mm
058/0015	15
058/0020	20
058/0025	25
058/0032	32
058/0040	40
058/0050	50

MATERIAL

TOMMY® “CAMEL” gaskets are made of TPV 3655 a mixture of EPDM rubber and polypropylene.

Thermoplastic Vulcanizates are flexible, durable and perform well in extreme temperature conditions through the combination of the best attributes of natural rubber compounds and thermoplastics.

TOMMY® ACID RESISTING GASKET NEOPRENE

GASKET ACID RESISTING NEOPRENE




ITEM CODE	METRIC mm
059/0015	15
059/0020	20
059/0025	25
059/0032	32
059/0040	40
059/0050	50

MATERIAL

TOMMY® Acid resisting neoprene gaskets are made of chloroprene which has weathering resistance and flame retarding qualities.


This material has moderate resistance to petroleum-based fluids, chemicals, acids and a higher tolerance for ozone, oils, fats, greases and solvents.



**EXTRA
STRENGTH**

**EXTENDED
LIFETIME**

**SUN
RESISTANT**



TOMMYPVC.COM

FEMALE THREAD ELBOW Fx F

PN 16 uPVC



ITEM CODE	BSP	METRIC mm
010/0015	½"	15
010/0020	¾"	20
010/0025	1"	25
010/0032	1¼"	32
010/0040	1½"	40
010/0050	2"	50

FEMALE THREAD TEE Fx Fx F

PN 16 uPVC



ITEM CODE	BSP	METRIC mm
012/0015	½"	15
012/0020	¾"	20
012/0025	1"	25
012/0032	1¼"	32
012/0040	1½"	40
012/0050	2"	50

NIPPLE MALE REDUCING



ITEM CODE	BSP	METRIC mm
030/0020x0015	¾" x ½"	20 X 15
030/0025x0015	1" x ½"	25 X 15
030/0025x0020	1" x ¾"	25 X 20
030/0032x0025	1¼" x 1"	32 x 25
030/0040x0025	1½" x 1"	40 x 25
030/0040x0032	1½" x 1¼"	40 x 32
030/0050x0040	2" x 1½"	50 x 40

HEXAGON BARREL NIPPLE



ITEM CODE	BSP	METRIC mm
025/0015	½"	15
025/0020	¾"	20
025/0025	1"	25
025/0032	1¼"	32
025/0040	1½"	40
025/0050	2"	50

SOCKET



ITEM CODE	BSP	METRIC mm
022a/0015	½"	15
022a/0020	¾"	20
022a/0025	1"	25
022a/0032	1¼"	32
022a/0040	1½"	40
022a/0050	2"	50

SOCKET REDUCING



ITEM CODE	BSP	METRIC mm
033/0020x0015	¾" x ½"	20 x 15
033/0025x0015	1" x ½"	25 x 15
033/0025x0020	1" x ¾"	25 x 20
033/0032x0025	1¼" x 1"	32 x 25
033/0040x0025	1½" x 1"	40 x 25
033/0050x0025	2" x 1"	50 x 25
033/0050x0032	2" x 1¼"	50 x 32
033/0050x0040	2" x 1½"	50 x 40

PLUG MALE



ITEM CODE	BSP	METRIC mm
032/0015	½"	15
032/0020	¾"	20
032/0025	1"	25
032/0032	1¼"	32
032/0040	1½"	40
032/0050	2"	50

BUSH REDUCING



ITEM CODE	BSP	METRIC mm	ITEM CODE	BSP	METRIC mm
034/0020x0015	¾" x ½"	20 x 15	034/0040x0020	1½" x ¾"	40 x 20
034/0025x0015	1" x ½"	25 x 15	034/0040x0025	1½" x 1"	40 x 25
034/0025x0020	1" x ¾"	25 x 20	034/0040x0032	1½" x 1¼"	40 x 32
034/0032x0015	1¼" x ½"	32 x 15	034/0050x0015	2" x ½"	50 x 15
034/0032x0020	1¼" x ¾"	32 x 20	034/0050x0020	2" x ¾"	50 x 20
034/0032x0025	1¼" x 1"	32 x 25	034/0050x0025	2" x 1"	50 x 25
034/0040x0015	1½" x ½"	40 x 15	034/0050x0032	2" x 1¼"	50 x 32

CAP FEMALE



ITEM CODE	BSP	METRIC mm
031/0015	½"	15
031/0020	¾"	20
031/0025	1"	25
031/0032	1¼"	32
031/0040	1½"	40
031/0050	2"	50

LONG SCREW PARALLEL THREAD



ITEM CODE	BSP	METRIC mm
027/0015	½"	15
027/0020	¾"	20
027/0025	1"	25
027/0032	1¼"	32
027/0040	1½"	40
027/0050	2"	50

BACK NUT ACID RESISTING




ITEM CODE	BSP	METRIC mm
029/0015	½"	15
029/0020	¾"	20
029/0025	1"	25
029/0032	1¼"	32
029/0040	1½"	40
029/0050	2"	50



**EXTRA
STRENGTH**

**EXTENDED
LIFETIME**

**SUN
RESISTANT**



TOMMYPVC.COM

ELBOW



ITEM CODE	METRIC mm
202/0015	15
202/0020	20
202/0025	25
202/0032	32
202/0040	40
202/0050	50
202/0065	65
202/0080	80

ELBOW MALE



ITEM CODE	METRIC mm x BSP
207/0015	15 x 1/2"
207/0020	20 x 3/4"
207/0025	25 x 1"
207/0032	32 x 1 1/4"
207/0040	40 x 1 1/2"
207/0050	50 x 2"

ELBOW FEMALE



ITEM CODE	METRIC mm x BSP
208/0015	15 x 1/2"
208/0020	20 x 3/4"
208/0025	25 x 1"
208/0032	32 x 1 1/4"
208/0040	40 x 1 1/2"
208/0050	50 x 2"

TEE



ITEM CODE	METRIC mm
201/0015	15
201/0020	20
201/0025	25
201/0032	32
201/0040	40
201/0050	50
201/0065	65
201/0080	80

TEE MALE



ITEM CODE	METRIC mm x BSP
209/0015	15 x 1/2"
209/0020	20 x 3/4"
209/0025	25 x 1"
209/0032	32 x 1 1/4"
209/0040	40 x 1 1/2"
209/0050	50 x 2"

TEE FEMALE



ITEM CODE	METRIC mm x BSP
210/0015	15 x 1/2"
210/0020	20 x 3/4"
210/0025	25 x 1"
210/0032	32 x 1 1/4"
210/0040	40 x 1 1/2"
210/0050	50 x 2"

TEE REDUCING



ITEM CODE	METRIC mm
205/0020x0015	20 x 15
205/0025x0015	25 x 15
205/0025x0020	25 x 20
205/0032x0015	32 x 15
205/0032x0020	32 x 20
205/0032x0025	32 x 25
205/0040x0015	40 x 15
205/0040x0020	40 x 20
205/0040x0025	40 x 25
205/0040x0032	40 x 32
205/0050x0015	50 x 15
205/0050x0020	50 x 20
205/0050x0025	50 x 25
205/0050x0032	50 x 32
205/0050x0040	50 x 40

TEE MALE REDUCING



ITEM CODE	METRIC mm x BSP
212/0020x0015	20 x 1/2"
212/0025x0015	25 x 1/2"
212/0025x0020	25 x 3/4"
212/0032x0015	32 x 1/2"
212/0032x0020	32 x 3/4"
212/0032x0025	32 x 1"
212/0040x0015	40 x 1/2"
212/0040x0020	40 x 3/4"
212/0040x0025	40 x 1"
212/0040x0032	40 x 1 1/4"
212/0050x0015	50 x 1/2"
212/0050x0020	50 x 3/4"
212/0050x0025	50 x 1"
212/0050x0032	50 x 1 1/4"
212/0050x0040	50 x 1 1/2"

TEE FEMALE REDUCING



ITEM CODE	METRIC mm x BSP
211/0020x0015	20 x 1/2"
211/0025x0015	25 x 1/2"
211/0025x0020	25 x 3/4"
211/0032x0020	32 x 3/4"
211/0032x0025	32 x 1"
211/0040x0020	40 x 3/4"
211/0040x0025	40 x 1"
211/0040x0032	40 x 1 1/4"
211/0050x0020	50 x 3/4"
211/0050x0025	50 x 1"
211/0050x0032	50 x 1 1/4"
211/0050x0040	50 x 1 1/2"

COUPLING REDUCING



ITEM CODE	METRIC mm
204/0020x0015	20 x 15
204/0025x0015	25 x 15
204/0025x0020	25 x 20
204/0032x0015	32 x 15
204/0032x0020	32 x 20
204/0032x0025	32 x 25
204/0040x0015	40 x 15
204/0040x0020	40 x 20
204/0040x0025	40 x 25
204/0040x0032	40 x 32
204/0050x0015	50 x 15
204/0050x0020	50 x 20
204/0050x0025	50 x 25
204/0050x0032	50 x 32
204/0050x0040	50 x 40
204/0065x0050	65 x 50
204/0080x0050	80 x 50
204/0080x0065	80 x 65

COUPLING



ITEM CODE	METRIC mm
200/0015	15
200/0020	20
200/0025	25
200/0032	32
200/0040	40
200/0050	50
200/0065	65
200/0080	80

PLUG



ITEM CODE	METRIC mm
203/0015	15
203/0020	20
203/0025	25
203/0032	32
203/0040	40
203/0050	50

ADAPTOR MALE




ITEM CODE	METRIC mm x BSP
206/0015	15 x 1/2"
206/0020	20 x 3/4"
206/0025	25 x 1"
206/0032	32 x 1 1/4"
206/0040	40 x 1 1/2"
206/0050	50 x 2"
206/0065	65 x 2 1/2"
206/0080	80 x 3"

ADAPTOR FEMALE




ITEM CODE	METRIC mm x BSP
213/0015	15 x 1/2"
213/0020	20 x 3/4"
213/0025	25 x 1"
213/0040	40 x 1 1/2"



**CORROSION
RESISTANT**

**UNIFORM
CLAMPING**

**EXTRA
STRENGTH**



OYACLAMP.COM

COMPOSITE CLAMP WORM DRIVE

Bandwidth: 2.5mm - Band Thickness: 0.7mm - Material: 203 Stainless Steel - Screw / Housing: Zink Plated



ITEM CODE	RANGE SIZE mm	ITEM CODE	RANGE SIZE mm
304/CO002	8-12	304/CO044	57-82
304/CO004	7-17	304/CO048	63-89
304/CO006	10-22	304/CO052	71-95
304/CO008	14-27	304/CO056	78-102
304/CO012	14-32	304/CO060	84-108
304/CO016	17-38	304/CO064	91-114
304/CO020	19-44	304/CO068	95-121
304/CO024	25-51	304/CO072	105-127
304/CO028	32-57	304/CO080	117-140
304/CO032	38-63	304/CO084	121-146
304/CO036	44-70	304/CO088	127-152
304/CO040	51-76		

FULL STAINLESS STEEL CLAMP WORM DRIVE

Bandwidth: 2.5mm - Band Thickness: 0.7mm - Material: 301 Stainless Steel - Screw / Housing: 301 Stainless Steel



ITEM CODE	RANGE SIZE mm	ITEM CODE	RANGE SIZE mm
301/SS004	7-17	301/SS040	51-76
301/SS006	10-22	301/SS044	57-82
301/SS008	14-27	301/SS048	63-89
301/SS012	14-32	301/SS052	71-95
301/SS016	17-38	301/SS056	78-102
301/SS020	19-44	301/SS060	84-108
301/SS024	27-51	301/SS064	91-114
301/SS028	32-57	301/SS072	105-127
301/SS032	38-63	301/SS080	117-140
301/SS036	44-70		

MILD STEEL MEDIUM DUTY BOLTED CLAMP

Bandwidth: 19mm - Band Thickness: 1mm - Bolt Thickness: M6



ITEM CODE	RANGE SIZE mm	ITEM CODE	RANGE SIZE mm
305/MD020	23-27	305/MD050	54-61
305/MD025	29-34	305/MD065	68-75
305/MD032	37-42	305/MD080	82-89
305/MD040	42-48		

STAINLESS STEEL MEDIUM DUTY BOLTED CLAMP

Bandwidth: 19mm - Band Thickness: 1mm - Bolt Thickness: M6



ITEM CODE	RANGE SIZE mm	ITEM CODE	RANGE SIZE mm
307/MD020SS	23-27	307/MD050SS	54-61
307/MD025SS	29-34	307/MD065SS	68-75
307/MD032SS	37-42	307/MD080SS	82-89
307/MD040SS	42-48		

MILD STEEL HEAVY DUTY BOLTED CLAMP

Bandwidth: 25mm - Band Thickness: 1mm - Bolt Thickness: M8



ITEM CODE	RANGE SIZE mm	ITEM CODE	RANGE SIZE mm
306/HD032	40-45	306/HD065	70-78
306/HD040	48-54	306/HD080	90-98
306/HD050	58-66		

STAINLESS STEEL HEAVY DUTY BOLTED CLAMP

Bandwidth: 25mm - Band Thickness: 1mm - Bolt Thickness: M8



ITEM CODE	RANGE SIZE mm	ITEM CODE	RANGE SIZE mm
308/HD032SS	40-45	308/HD065SS	70-78
308/HD040SS	48-54	308/HD080SS	90-98
308/HD050SS	58-66		

SSN COUPLING

Material: 301 Stainless Steel



ITEM CODE	SIZE mm	STRAPS
309/0050	50	2
309/0075	75	2
309/0100	100	2
309/0150	150	4

SSN COUPLING REDUCING

Material: 301 Stainless Steel



ITEM CODE	SIZE mm	STRAPS
310/0050X0040	50 x 40	2



OYA

QUALITY CAM LOCKS


AGRICULTURAL | MARINE | INDUSTRIAL
PLUMBING | LAWN | GARDEN



**CORROSION
RESISTANT**

**WATER
TIGHT
SEAL**

**QUICK
COUPLING**



OYACLAMP.COM

TYPE A POLYPROP
MALE ADAPTOR X FEMALE THREAD



ITEM CODE	SIZE mm	BAR
320/0015	15	8
320/0020	20	8
320/0025	25	8
320/0032	32	8
320/0040	40	8
320/0050	50	8
320/0065	65	5
320/0080	80	5
320/0100	100	5

TYPE B POLYPROP
FEMALE COUPLER X MALE THREAD



ITEM CODE	SIZE mm	BAR
321/0015	15	8
321/0020	20	8
321/0025	25	8
321/0032	32	8
321/0040	40	8
321/0050	50	8
321/0065	65	5
321/0080	80	5
321/0100	100	5

TYPE C POLYPROP
FEMALE COUPLER X HOSE TAIL



ITEM CODE	SIZE mm	BAR
322/0015	15	8
322/0020	20	8
322/0025	25	8
322/0032	32	8
322/0040	40	8
322/0050	50	8
322/0065	65	5
322/0080	80	5
322/0100	100	5

TYPE D POLYPROP
FEMALE COUPLER X FEMALE THREAD



ITEM CODE	SIZE mm	BAR
323/0015	15	8
323/0020	20	8
323/0025	25	8
323/0032	32	8
323/0040	40	8
323/0050	50	8
323/0065	65	5
323/0080	80	5
323/0100	100	5

TYPE E POLYPROP
MALE ADAPTOR X HOSE TAIL



ITEM CODE	SIZE mm	BAR
324/0015	15	8
324/0020	20	8
324/0025	25	8
324/0032	32	8
324/0040	40	8
324/0050	50	8
324/0065	65	5
324/0080	80	5
324/0100	100	5

TYPE F POLYPROP
MALE ADAPTOR X MALE THREAD



ITEM CODE	SIZE mm	BAR
325/0015	15	8
325/0020	20	8
325/0025	25	8
325/0032	32	8
325/0040	40	8
325/0050	50	8
325/0065	65	5
325/0080	80	5
325/0100	100	5

CAMLOCK SPARE RUBBER



ITEM CODE	SIZE mm
319/0020	20
319/0025	25
319/0032	32
319/0040	40
319/0050	50
319/0065	65
319/0080	80
319/0100	100

TYPE DC POLYPROP
FEMALE ADAPTOR X END CAP



ITEM CODE	SIZE mm	BAR
326/0015	15	8
326/0020	20	8
326/0025	25	8
326/0032	32	8
326/0040	40	8
326/0050	50	8
326/0065	65	5
326/0080	80	5
326/0100	100	5

TYPE DP POLYPROP
MALE ADAPTOR X END CAP



ITEM CODE	SIZE mm	BAR
327/0015	15	8
327/0020	20	8
327/0025	25	8
327/0032	32	8
327/0040	40	8
327/0050	50	8
327/0065	65	5
327/0080	80	5
327/0100	100	5



**TYPE A ALUMINIUM
MALE ADAPTOR X FEMALE THREAD**



ITEM CODE	SIZE mm	BAR
330/0015	15	10
330/0020	20	10
330/0025	25	10
330/0032	32	10
330/0040	40	10
330/0050	50	10
330/0065	65	8
330/0080	80	8
330/0100	100	6

**TYPE B ALUMINIUM
FEMALE COUPLER X MALE THREAD**



ITEM CODE	SIZE mm	BAR
331/0015	15	10
331/0020	20	10
331/0025	25	10
331/0032	32	10
331/0040	40	10
331/0050	50	10
331/0065	65	8
331/0080	80	8
331/0100	100	6

**TYPE C ALUMINIUM
FEMALE COUPLER X HOSE TAIL**



ITEM CODE	SIZE mm	BAR
332/0015	15	10
332/0020	20	10
332/0025	25	10
332/0032	32	10
332/0040	40	10
332/0050	50	10
332/0065	65	8
332/0080	80	8
332/0100	100	6

**TYPE D ALUMINIUM
FEMALE COUPLER X FEMALE THREAD**



ITEM CODE	SIZE mm	BAR
333/0015	15	10
333/0020	20	10
333/0025	25	10
333/0032	32	10
333/0040	40	10
333/0050	50	10
333/0065	65	8
333/0080	80	8
333/0100	100	6

**TYPE E ALUMINIUM
MALE ADAPTOR X HOSE TAIL**



ITEM CODE	SIZE mm	BAR
334/0015	15	10
334/0020	20	10
334/0025	25	10
334/0032	32	10
334/0040	40	10
334/0050	50	10
334/0065	65	8
334/0080	80	8
334/0100	100	6

**TYPE F ALUMINIUM
MALE ADAPTOR X MALE THREAD**



ITEM CODE	SIZE mm	BAR
335/0015	15	10
335/0020	20	10
335/0025	25	10
335/0032	32	10
335/0040	40	10
335/0050	50	10
335/0065	65	8
335/0080	80	8
335/0100	100	6

**TYPE DC ALUMINIUM
FEMALE ADAPTOR X END CAP**



ITEM CODE	SIZE mm	BAR
336/0015	15	10
336/0020	20	10
336/0025	25	10
336/0032	32	10
336/0040	40	10
336/0050	50	10
336/0065	65	8
336/0080	80	8
336/0100	100	6

**TYPE DP ALUMINIUM
MALE ADAPTOR X END CAP**



ITEM CODE	SIZE mm	BAR
337/0015	15	10
337/0020	20	10
337/0025	25	10
337/0032	32	10
337/0040	40	10
337/0050	50	10
337/0065	65	8
337/0080	80	8
337/0100	100	6

CAMLOCK SPARE RUBBER



ITEM CODE	SIZE mm
319/0020	20
319/0025	25
319/0032	32
319/0040	40
319/0050	50
319/0065	65
319/0080	80
319/0100	100

TYPE A STAINLESS STEEL
MALE ADAPTOR X FEMALE THREAD



ITEM CODE	SIZE mm	BAR
340/0015	15	10
340/0020	20	10
340/0025	25	10
340/0032	32	10
340/0040	40	10
340/0050	50	10
340/0065	65	8
340/0080	80	8
340/0100	100	6

TYPE B STAINLESS STEEL
FEMALE COUPLER X MALE THREAD



ITEM CODE	SIZE mm	BAR
341/0015	15	10
341/0020	20	10
341/0025	25	10
341/0032	32	10
341/0040	40	10
341/0050	50	10
341/0065	65	8
341/0080	80	8
341/0100	100	6

TYPE C STAINLESS STEEL
FEMALE COUPLER X HOSE TAIL



ITEM CODE	SIZE mm	BAR
342/0015	15	10
342/0020	20	10
342/0025	25	10
342/0032	32	10
342/0040	40	10
342/0050	50	10
342/0065	65	8
342/0080	80	8
342/0100	100	6

TYPE D STAINLESS STEEL
FEMALE COUPLER X FEMALE THREAD



ITEM CODE	SIZE mm	BAR
343/0015	15	10
343/0020	20	10
343/0025	25	10
343/0032	32	10
343/0040	40	10
343/0050	50	10
343/0065	65	8
343/0080	80	8
343/0100	100	6

TYPE E STAINLESS STEEL
MALE ADAPTOR X HOSE TAIL



ITEM CODE	SIZE mm	BAR
344/0015	15	10
344/0020	20	10
344/0025	25	10
344/0032	32	10
344/0040	40	10
344/0050	50	10
344/0065	65	8
344/0080	80	8
344/0100	100	6

TYPE F STAINLESS STEEL
MALE ADAPTOR X MALE THREAD



ITEM CODE	SIZE mm	BAR
345/0015	15	10
345/0020	20	10
345/0025	25	10
345/0032	32	10
345/0040	40	10
345/0050	50	10
345/0065	65	8
345/0080	80	8
345/0100	100	6

TYPE DC STAINLESS STEEL
FEMALE ADAPTOR X END CAP



ITEM CODE	SIZE mm	BAR
346/0015	15	10
346/0020	20	10
346/0025	25	10
346/0032	32	10
346/0040	40	10
346/0050	50	10
346/0065	65	8
346/0080	80	8
346/0100	100	6

TYPE DP STAINLESS STEEL
MALE ADAPTOR X END CAP



ITEM CODE	SIZE mm	BAR
347/0015	15	10
347/0020	20	10
347/0025	25	10
347/0032	32	10
347/0040	40	10
347/0050	50	10
347/0065	65	8
347/0080	80	8
347/0100	100	6

CAMLOCK SPARE RUBBER




ITEM CODE	SIZE mm
319/0020	20
319/0025	25
319/0032	32
319/0040	40
319/0050	50
319/0065	65
319/0080	80
319/0100	100



OYA

QUALITY HOSE RUBBER TRAPS

MARINE | INDUSTRIAL | AUTOMOTIVE
AGRICULTURAL | PLUMBING | LAWN | GARDEN



**CORROSION
RESISTANT**

**WATER
TIGHT
SEAL**

**QUICK
COUPLING**



OYACLAMP.COM

RUBBER MINI P TRAP



ITEM CODE	SIZE mm
371/0032x0040	32 x 40
371/0040x0040	40 x 40

RUBBER P TRAP



ITEM CODE	SIZE mm
370/0032x0032	32 x 32
370/0032x0040	32 x 40
370/0040x0040	40 x 40

RUBBER BATH TRAP



ITEM CODE	SIZE mm
372/0040x0040	40 x 40

FLEXIBLE PAN CONNECTOR



ITEM CODE	SIZE mm
373/0110	110



**PURE
DRINKING
WATER**

**HIGH
QUALITY
FILTRATION**

**CLEAN &
SAFE**



TOMMYTANKS.COM

MWF-14 - MINERAL WATER POT 14L



ITEM CODE	DESCRIPTION
078	Mineral Water Pot 14L

FILTERS CERAMIC, ALUMINITE & 6 STAGE FILTERS



ITEM CODE	DESCRIPTION
078	Spare 6 Stage Filter

SPARETAP



ITEM CODE	DESCRIPTION
080	Sparetap

WATER PURIFIER 14L - 6 STAGE FILTRATION

S1 - Ceramic Filter

Made of highly compressed ceramic diatomic material which has a porous structure of 0.2 microns. It is a powerful anti bacterial and fungicidal filter cartridge, it also filters all sand, dust and rust particles.

S2 - Activated Carbon

Removes chlorine, organic chemicals, unpleasant odours and improves clarity and taste.

S3 - Small Bio Balls

Adds oxygen and minerals to the water.

S4 - Ion Exchange Resin

Removes heavy metals such as mercury, lead and chromium.

S5 - Zeolite


Natural Volcanic material which has the unique ability to remove metals from the water and exchange sodium ions for calcium ions which

S6 - Mineral Stones

Contains various nourishing minerals such as potassium, sodium, calcium, magnesium and other micro elements which are essential for good health.



**THREAD
MASTER**
PIPE WORK MACHINERY



**RUGGED
DESIGN**

**HEAVY
DUTY**

**UNIFORM
THREADING**



THREADMASTER.CO.ZA

COMPACT THREADER



ITEM CODE	FOR PIPE BSP	DIE HEAD	MOTOR	SPEED
740/0015-0050	½" x 2"	Manual / Automatic	750w Induction type	27 RPM
740/0015-0080	½" x 3"	Manual	900w induction type	26/11 RPM
740/0015-0100	½" x 2"	Manual / Automatic	900w induction type	24/10 RPM
	2 ½" x 4"	Automatic		

SPARE DIES

Ridged Type



Square Type




ITEM CODE	FOR PIPE BSP	TYPE	MACHINE TYPE	MATERIAL
744/0015-0020	½" x ¾"	Ridged Type	740/0015-0050	BSP Alloy Steel
744/0025-0050	1" x 2"	Ridged Type	740/0015-0050	BSP Alloy Steel
744/0065-0080(SQT80c)	2 ½" x 3"	Square Type	740/0015-0080	BSP Alloy Steel
744/0065-0100(SQT100)	2 ½" x 4"	Square Type	740/0015-0100	BSP Alloy Steel

ELECTRIC PRESSURE TESTING PUMP




ITEM CODE	CONNECTION	TESTING RANGE	WATER FLOW	POWER
715E	½" BSP	0-60bar (860psi)	2.9L/min	250w Induction

MANUAL PRESSURE TESTING PUMP



ITEM CODE	CONNECTION	TESTING RANGE	TANK CAPACITY	VOLUME/STROKE
715H	½" BSP	0-60bar (860psi)	12L	45ml

HINGED PIPE CUTTER



ITEM CODE	FOR PIPE BSP	CUTTING ROTATION
753/0050-0100	2" x 4"	90° - 110°
753/0100-0150	4" x 6"	90° - 110°
753/0150-0200	6" x 8"	90° - 110°

TRI-STAND CHAIN VISE (CAST ALUMINIUM BASE)



ITEM CODE	FOR PIPE BSP	CUTTING ROTATION
723/0015-6000	½" x 6"	90° - 110°



+27 41 364 0844
sales@tbtsa.com
www.tbtsa.com